

8.0 Juan de Fuca Publications

- Abbott, D. H., J. L. Morton, and M. L. Holmes (1986): Heat flow measurements on a hydrothermally-active, slow-spreading ridge: The Escanaba Trough. *Geophy. Res. Lett.*, 13: 678-680.
- Allan, J. F., R. L. Chase, B. L. Cousens, P. J. Michael, M. P. Gordon, and S. D. Scott (1993): The Tuzo Wilson volcanic field, NE Pacific: Alkaline volcanism at a complex, diffuse, transform-trench-ridge triple junction. *J. Geophys. Res.*, 98: 22367-22387.
- Andersson, E., B. R. T. Simoneit, and N. G. Holm (2000): Amino acid abundances and stereochemistry in hydrothermally altered sediments from the Juan de Fuca Ridge, northeastern Pacific Ocean. *App. Geochem.*, in press.
- Appelgate, B. T., and R. W. Embley (1992): Submarine tumuli and inflated tube-fed lava flows on Axial Volcano, Juan de Fuca Ridge. *Bull. Vol.*, 54: 447-458.
- Applegate, B. T., Jr. (1990): Volcanic and structural morphology of the southern flank of the Axial Volcano, Juan de Fuca Ridge: Results from a SeaMARC I sidescan sonar survey. *J. Geophys. Res.*, 95: 12765-12783.
- Baker, E. T., C. G. Fox, and J.P. Cowen (1999): *In-situ* observations of the onset of hydrothermal discharge during the 1998 submarine eruption of Axial Volcano. Juan de Fuca Ridge. *Geophys. Res. Lett.* 26:3445-3449.
- Baker, E. T., G. J. Massoth, R. A. Feely, G. A. Cannon, and R. E. Thomson (1998): The rise and fall of the CoAxial hydrothermal site, 1993-1996. *J. Geophys. Res.*, 103: 9791-9806.
- Baker, E. T.(1998): Patterns of event and chronic hydrothermal venting following a magmatic intrusion: New perspectives from the 1996 Gorda Ridge eruption. *Deep-Sea Res. II*, 45:2599-2618.
- Baker, E. T. (1996): Geological indexes of hydrothermal venting. *J. Geophys. Res.*, 101: 13,741- 13,753.
- Baker, E. T., G. J. Massoth, R. A. Feely, R. W. Embley, R. E. Thomson, and B. J. Burd (1995): Hydrothermal event plumes from the CoAxial seafloor eruption site, Juan de Fuca Ridge. *Geophys. Res. Lett.*, 22: 147-150.
- Baker, E. T., C. R. German, and H. Elderfield (1995): Hydrothermal plumes overspreading-center axes: Global distributions and geological inferences, in Seafloor Hydrothermal Systems: Physical, Chemical, Biological, and Geological Interactions, *Geophys. Monogr. Ser.*, vol. 91, edited by S.Humphris, R. Zierenberg, L.S. Mullineaux, and R. Thomson, pp. 47-71, AGU, Washington D.C.
- Baker, E. T. (1995): Characteristics of hydrothermal discharge following a magmatic intrusion, in Hydrothermal Vents and Processes, edited by L. M. Parson, C. L. Walker, and D. R. Dixon. *Geol. Soc. Spec. Pub.*, No. 87: 65-76.
- Baker, E. T., G. J. Massoth, G. A. Cannon, R. A. Feely, J. E. Lupton, R. E. Thomson, J. F. Gendron, B. J. Burd, and R.W. Embley (1995): Temporal and spatial patterns of chronic and event hydrothermal plumes at the CoAxial vent field, Juan de Fuca Ridge. *Geophys. Res. Lett.*, 22:147- 150.
- Baker, E. T. (1994): A six-year time series of hydrothermal plumes over the Cleft segment of the Juan de Fuca Ridge. *J. Geophys. Res.*, 99: 4889-4904.

- Baker, E. T., and G. A. Cannon (1993): Long-term monitoring of hydrothermal heat flux using moored temperature sensors, Cleft segment, Juan de Fuca Ridge. *Geophys. Res. Lett.*, 20: 1855-1858.
- Baker, E. T., G. J. Massoth, S. L. Walker, and R. W. Embley (1993): A method for quantitatively estimating diffuse and discrete hydrothermal discharge, *Earth Planet. Sci. Lett.*, 118: 235-249.
- Baker, E. T. and S. R. Hammond (1992): Hydrothermal venting and the apparent magmatic budget of the Juan de Fuca Ridge, *J. Geophys. Res.*, 97: 3443- 3456.
- Baker, E. T. (1991/92): Megaplumes. *Oceanus*, 34: 84-91.
- Baker, E. T., and J. L. Lupton (1990): Changes in submarine hydrothermal helium- 3/heat ratios as an indicator of magmatic/tectonic activity. *Nature*, 346: 556-558.
- Baker, E. T., R. E. McDuff, and G. J. Massoth (1990): Hydrothermal venting from the summit of a ridge-axis seamount: Axial Volcano, Juan de Fuca Ridge. *J. Geophys. Res.*, 95: 12,843-12,854.
- Baker, E. T., J. W. Lavelle, R. A. Feely, G. J. Massoth, S. L. Walker, and J. E. Lupton (1989): Episodic venting of hydrothermal fluids from the Juan de Fuca Ridge. *J. Geophys. Res.*, 94: 9237- 9250.
- Baker, E., G. J. Massoth, R. W. Collier, J. H. Treffrey, D. Kadko, T. A. Nelson, P. A. Rona, and J. E. Lupton. (1987): Evidence for high temperature venting on the Gorda Ridge, Northeast Pacific Ocean. *Deep-Sea Res.* 34: 1461-1476.
- Baker, E. T., G. J. Massoth, R. W. Collier, J. H. Trefry, D. Kadko, T. A. Nelsen, P. A. Rona, and J. E. Lupton (1987): Evidence for high-temperature hydrothermal venting on the Gorda Ridge, Northeast Pacific Ocean, *Deep-Sea Res.*, 34: 1461-1476.
- Baker, E. T., G. J. Massoth, and R. A. Feely (1987): Cataclysmic hydrothermal venting on the Juan de Fuca Ridge. *Nature*, 329: 149-151.
- Baker, E. T., and G. J. Massoth (1987): Characteristics of hydrothermal plumes from two vent fields on the Juan de Fuca Ridge, northeast Pacific Ocean. *Earth Planet. Sci. Lett.*, 85: 59-73.
- Baker, E. T., and G. J. Massoth (1986): Hydrothermal plume measurements: A regional perspective. *Science*, 234: 980-982.
- Baker, E. T., J. W. Lavelle, and G. J. Massoth (1985): Hydrothermal particle plumes over the southern Juan de Fuca Ridge. *Nature*, 316: 342-344.
- Barone, A. M., and W. B. F. Ryan (1988): Along-axis variations within the plate boundary zone of the southern segment of the Endeavor Ridge. *J. Geophys. Res.*, 93: 7856-7868.
- Baross, J. A. and J. W. Deming. (1995) Growth at high temperatures: Isolation and taxonomy, physiology, Ecology. In D. M. Karl (ed.) *Microbiology of Deep Sea Hydrothermal Vent Habitats*, pp. 169-217. CRC Press, Boca Raton, FL.
- Baross, J. A., M. Summit and J. F. Holden. (1997) Is there a microbial biosphere in the subsurface? JOI/USSAC Newsletter 10:8-11.
- Barr, S. M. (1974): Seamount chains formed near the crest of the Juan de Fuca Ridge, northeast Pacific Ocean. *Mar. Geol.*, 17: 1-19.
- Barr, S. M. and R. L. Chase (1974): Geology of the northern end of the Juan de Fuca Ridge and sea-floor spreading, Can. *J. Earth Sci.*, 11: 1384-1406.
- Barrett, T. J., I. Jarvis, and K. E. Jarvis (1990): Rare earth element geochemistry of massive sulfides-sulfates and gossans on the southern Explorer Ridge. *Geology*, 18:

583-586.

- Becker, K., and A. T. Fisher (2000): Permeability of upper oceanic basement on the eastern flank of the Juan de Fuca Ridge determined with drill-string packer experiments. *J. Geophys. Res.*, 105: 897-912.
- Becker, K., R. H. Morin, and E. E. Davis: Permeabilities in the Middle Valley hydrothermal system measured with packer and flow meter experiments, in M. J. Mottl, E. E. Davis, A. J. Fisher, and J. R. Slack (Eds) *Proc. ODP*, Scientific Results, vol. 139, 613-626.
- Becker, N., G. C. Wheat, M. J. Mottl, J. L. Karsten, and E. E. Davis (2000): A geological and geophysical investigation of Baby Bare, locus of a ridge-flank hydrothermal system in the Cascadia Basin, *Mar. Geophys. Res.*, in revision.
- Bemis, K. G., R. P. Von Herzen, and M. J. Mottl (1993): Geothermal heat flux from hydrothermal plumes on the Juan de Fuca Ridge. *J. Geophys. Res.*, 98: 6351-6365.
- Bertrand, W. G. (1972): A geological reconnaissance of the Dellwood Seamount area, northeast Pacific Ocean, and its relationship to plate tectonics: Unpub. M. Sc. thesis, University of British Columbia, 151 p.
- Bessler, J.A., Davis, E.E., and Smith, L.M. (1994): Hydrologic and thermal conditions at a sediment/basalt interface: implications for interpretation of field measurements at Middle Valley, in Mottl, M.J., Davis, E.E., Fisher, A.J., and Slack, J.R. (Eds), *Proc. ODP*, 139, 667- 678.
- Blank, J. G., J. R. Delaney and D. J. Des Marais (1993): The concentration and isotopic composition of carbon in basaltic glasses from the Juan de Fuca Ridge, Pacific Ocean. *Geochim. Cosmochim. Acta*, 57: 875-887.
- Bobbitt, Andra M., R. P. Dziak, K. M. Stafford, and C. G. Fox (1997): GIS analysis of oceanographic remotely-sensed and field observation data. *Mar. Geod.*, 20/2-3: 153-161.
- Bostros, M., and H. P. Johnson (1988): Tectonic evolution of the Explorer Northern Juan de Fuca Region from 8 Ma to the present. *J. Geophys. Res.*, 93: 104421-10438.
- Brescia, L. A., and V. Tunnicliffe (1999): Population biology of two pycnogonid species (Fam. Ammotheidae) at hydrothermal vents in the Northeast Pacific. *Cah. Biol. Mar.*, 39:233-236.
- Butterfield, D. A., and G. J. Massoth (1994): Geochemistry of north Cleft segment vent fluids: Temporal changes in chlorinity and their possible relationship to recent volcanism. *J. Geophys. Res.*, 99: 4951-4968.
- Butterfield, D.A., R.E. McDuff, J. Franklin, and C.G. Wheat (1994) Geochemistry of hydrothermal vent fluids from Middle Valley, Juan de Fuca Ridge. Chapter 20 in *Proceedings of the Ocean Drilling Program, Scientific Results*, 139, Mottl, M.J., E.E. Davis, A.T. Fisher, and J.F. Slack (eds.), College Station, TX, 395-410.
- Butterfield, D.A., G.J. Massoth, R.E. McDuff, J.E. Lupton, and M.D. Lilley (1990): Geochemistry of hydrothermal fluids from Axial Seamount Hydrothermal Emissions Study Vent Field, Juan de Fuca Ridge: Subseafloor boiling and subsequent fluid-rock interaction. *J. Geophys. Res.*, 95(B8), 12,895–12,921.
- Butterfield, D. A., I. R. Jonasson, G. J. Massoth, R. A. Feely, K. K. Roe, R. E. Embley, J. F. Holden, R. E. McDuff, M.D. Lilley, and J. R. Delaney (1997): Seafloor eruptions and evolution of hydrothermal fluid chemistry. *Phil. Trans. R. Soc. Lond. A*, 355: 369-386.

- Butterfield, D. A., R. E. McDuff, M. J. Mottl, M.D. Lilley, J. E. Lupton, and G. J. Massoth (1994): Gradients in the composition of hydrothermal fluids from the Endeavor segment vent field: Phase separation and brine loss. *J. Geophys. Res.*, 99(B5), 9561–9583.
- Campbell, A. C., C. R. German, M. R. Palmer, T. Gamo, and J. M. Edmond (1994): Chemistry of hydrothermal fluids from the Escanaba Trough, Gorda Ridge, in *Geologic, Hydrothermal, and Biologic Studies at Escanaba Trough, Gorda Ridge, Offshore Northern California* (eds. J.L. Morton, R.A. Zierenberg, and C.A. Reiss), U.S. Geological Survey Bull. 2022, chapter 11, 201-221, 1994.).
- Canadian American Seamount Expedition (1985): Hydrothermal vents on an axis seamount of the Juan de Fuca Ridge. *Nature*, 313: 212-214.
- Cannon, G. A., and D. J. Pashinski (1997): Variations in mean currents affecting hydrothermal plumes on the Juan de Fuca Ridge. *J. Geophys. Res.*, 102: 24,965-24,976.
- Cannon, G.A. (1996): Characteristics of 4-day oscillations trapped by the Juan de Fuca Ridge. *Geophys. Res. Lett.* (23)13, 1613-1616.
- Cannon, G. A., and R. E. Thomson (1996): Characteristics of 4-day oscillations trapped by the Juan de Fuca Ridge. *Geophys. Res. Letters*, 23: 1613-1616.
- Cannon, G. A., D. J. Pashinski, and T. J. Stanley (1995): Fate of event hydrothermal plumes on the Juan de Fuca Ridge, *Geophys. Res. Lett.*, 22: 163-166.
- Cannon, G. A., D. J. Pashinski, and M. R. Lemon (1993): Hydrothermal effects west of the Juan de Fuca Ridge. *Deep-Sea Res.*, 40: 1447-1457.
- Cannon, D. A., and D. J. Pashinski (1992): Moored ADCP measurements near hydrothermal venting, in *Proc. MTS '92 Conference, Mar. Tech. Soc.*, Wash., D.C., pp. 542-548.
- Cannon, G. A., D. J. Pashinski, and M. R. Lemon (1991): Mid-depth flow near hydrothermal venting sites on the southern Juan de Fuca Ridge. *J. Geophys. Res.*, 96: 12,815-12,831.
- Cannon, G. A., and D. J. Pashinski (1990): Circulation near Axial Seamount. *J. Geophys. Res.*, 95: 12,823-12,828.
- Carbotte, S.M., J.M. Dixon, E. Farrar, E.E. Davis, and R.P. Riddihough (1989): Geological and geophysical characteristics of the Tuzo Wilson Seamounts: Implications for plate geometry in the vicinity of the Pacific-North America-Explorer triple junction: *Can. Jour. Earth Sci.*, v. 26, 2365- 2384.
- Carbotte, S. (1987): Helium isotopic signature of Explorer Ridge basalts, northeast Pacific Ocean: University of California, Santa Barbara, Comprehensive Exam Research Report.
- Chadwell, C. D., J. A. Hildebrand, et al. (1999): No spreading across the southern Juan de Fuca ridge axial cleft during 1994-1996. *Geophys. Res. Lett.*, 26: 2525-2528.
- Chadwick et al., (2000) The RIDGE Seafloor Observatory at the Cleft Segment: Investigation of linkages between geodetic, geophysical, geochemical, and water column processes, RIDGE Events, June 2000.
- Chadwick, J, Perfit, M., Embley, R., Chadwick, W., and Ridley, I., (1999) The Magmatic and Tectonic Evolution of Axial Seamount and Associated Rift Zones; Juan de Fuca Ridge. *Trans. Amer. Geophys. Union, EOS*, v.80, 46, F1085.
- Chadwick, W. W., Jr., R. W. Embley, H. B. Milburn, C. Meinig, and M. Stapp (1999):

- Evidence for deformation associated with the 1998 eruption of Axial Volcano: Juan de Fuca Ridge, from acoustic extensometer measurements, *Geophys. Res. Lett.*, 26: 3441-3444.
- Chadwick, W. W. Jr., T. K. P. Gregg, and R. W. Embley (1999): Submarine lineated sheet flows: a unique lava morphology formed on subsiding lava ponds. *Bull. Volcan.*, 61: 194-206.
- Chadwick, W. W., Jr. and R. W. Embley (1998): Graben formation associated with recent dike intrusions and volcanic eruptions on the mid-ocean ridge. *J. Geophys. Res.*, 103: 9807-9825.
- Chadwick, W. W., Jr., R. W. Embley and T. M. Shank (1998): The 1996 Gorda Ridge eruption: Geologic mapping, sidescan sonar, and Sea Beam comparison results. *Deep-Sea Res. II*, 45: 2547-2570.
- Chadwick, Jr., W. W., R. W. Embley, and C. G. Fox (1995): Sea Beam depth changes associated with recent lava flows, CoAxial segment, Juan de Fuca Ridge: Evidence for multiple eruptions between 1981-1993. *Geophys. Res. Lett.*, 22: 167-170.
- Chadwick, Jr., W. W., and R. W. Embley (1994): Lava flows from a mid-1980s submarine eruption on the Cleft segment, Juan de Fuca Ridge. *J. Geophys. Res.*, 99: 4761-4776.
- Chadwick, Jr., W. W., R. W. Embley, and C. G. Fox (1991): Evidence for volcanic eruption on the southern Juan de Fuca Ridge between 1981 and 1987. *Nature*, 313: 212-214.
- Chapman, D., R. Allis, W. Bentkowski, M. Bone, V. Cermak, T. Hamilton, T. Lewis, R. McDonald, K. Rohr, D. Seeman, G. Spence, S. Willett, and J. Wright, (1987): A geophysical investigation at the southern terminus of the Kodiak-Bowie seamount chain.
- Chase, R. L. (1977): Tuzo Wilson Knolls: Canadian hotspot. *Nature*, 266: 344-346.
- Cherkaoui, A. S. M., W. S. D. Wilcock, and E. T. Baker (1997): Thermal fluxes associated with the 1993 diking event on the CoAxial segment, Juan de Fuca Ridge: A model for the convective cooling of the dike. *J. Geophys. Res.*, 102: 24,887-24,902.
- Chin, C. S., K. H. Coale, V. A. Elrod, K. S. Johnson, G. J. Massoth, and E. T. Baker (1994): *In-situ* observations of dissolved iron and manganese in hydrothermal vent plumes, Juan de Fuca Ridge. *J. Geophys. Res.*, 99: 4969-4984.
- Christeson, G. L., G. M. Purdy, and K. M. M. Rohr (1993): Structure of the Northern Symmetrical Segment of the Juan de Fuca Ridge. *Mar. Geophys. Res.*, 15: 219-240.
- Church, S. E., and M. Tatsumoto (1975): Lead isotope relations in ocean ridge basalts from the Juan de Fuca - Gorda Ridge area, N.E. Pacific Ocean. *Contrib. Mineral Petrol.*, 53: 253-279.
- Clague, D. A., and P. Rona (1989): Geology of the GR-14 site on the northern Gorda Ridge: In *Gorda Ridge: A frontier area in the United States Exclusive Economic Zone*, ed. by G. R. McMurray. New York, Springer-Verlag, p. 31-50.
- Clague, D. A., and M. Holmes (1988): The geology and mineral potential of the Gorda Ridge. In *Geology and resource potential of the continental margin of western North America and adjacent ocean basins - Beaufort Sea to Baja California*, ed. by D.W. Scholl, A. Grantz, and J.G. Vedder (eds.), Circum-Pacific Council for Energy and Mineral Resources, Earth Sciences Series, Vol. 6.

- Clague, D., W. Friesen, P. Quintero, L. Morgenson, M. Holmes, J. Morton, R. Bouse, and A. Davis (1984): Preliminary geological, geophysical, and biological data from the Gorda Ridge. U.S.G.S. Open-file report 84-364, 49pp.
- Coale, K. H., C. S. Chin, G. J. Massoth, K. S. Johnson, and E. T. Baker (1991): *In-situ* chemical mapping of dissolved iron and manganese in hydrothermal plumes. *Nature*, 352: 325-328.
- Collier, R.W., S. H. Holbrook, and J. M. Robbins (1986): Studies of trace metals and active hydrothermal venting on the Gorda Ridge. State of Oregon Dept. of Geology and Mineral Industries, Open File Report 0-86-13, Final Report for Contract No. 63-630-8504.
- Constantin, M., M. P. Gorton, and S. D. Scott (1998): Contrasting MORB compositions between past and present volcanism along the Endeavour Segment of the Juan de Fuca Ridge (ODP Leg 168). GAC-MAC Annual Meeting, Program with Abstracts, 23: A-36.
- Cook, T. L., and D. S. Stakes (1995): Bio-geological mineralization in deep-sea hydrothermal deposits. *Science*, 267: 1975-1979.
- Cousens, B. L., J. F. Allan, M. I. Leybourne, R. L. Chase, and N. Van Wagoner (1995): Mixing of magmas from the enriched and depleted mantle sources in the northeast Pacific: West Valley segment, Juan de Fuca Ridge. *Contrib. Mineral Petrol.*, 120: 337-357.
- Cousens, B. L., J. Dostal, and T. S. Hamilton (1999): A near-ridge origin for seamounts at the southern terminus of the Pratt-Welker seamount chain, Northeast Pacific Ocean. *Can. J. Earth Sci.*, v. 36:1021-1031.
- Cousens, B., J. Blenkinsop, and J. Franklin (1997): Sources of Pb in sulphide minerals from Middle Valley, northern Juan de Fuca Ridge: A Pb isotopic study. GAC-MAC Annual Meeting, Program with Abstracts, 22:A-32.
- Cousens, B.L. (1996): Depleted and enriched upper mantle sources for basaltic rocks from diverse tectonic environments in the northeast Pacific Ocean: the generation of oceanic alkaline vs. tholeiitic basalts: in Basu, A. Hart, S.R., eds., *Earth Processes: reading the isotopic code*, *Geophys. Monogr. Ser.*, vol. 95, AGU, Washington D.C.
- Cousens, B. L. (1988): Isotopically depleted, alkalic lavas from the Bowie Seamount, northeast Pacific Ocean. *Can. J. Earth Sci.*, 25: 1708-1716.
- Cousens, B. L., R. L. Chase, and J-G Schilling (1985): Geochemistry and origin of volcanic rocks from Tuzo Wilson and Bowie Seamounts, northeast Pacific Ocean, *Can. J. Earth Sci.*, 22: 1609- 1617.
- Cowen, J.P., P. Lam, R. Shackelford, E.T. Baker, R.A. Feely, E.A. McLaughlin-West (2000) Temporal Variability in Hydrothermal Plume Geomicrobiology following the January, 1998, eruption at Axial Volcano, Juan de Fuca Ridge. AGU Fall Meeting, San Francisco, December, 2000; *EOS* **81**: F1265
- Cowen, J. P., R. Shackelford, D. McGee, E. T. Baker, P. Lam, and E. J. Olson (1999): Microbial biomass in the hydrothermal plumes associated with the 1998 Axial Volcano eruption. *Geophys. Res. Lett.*, 26:3637-3641.
- Cowen, J. P., and E. T. Baker (1998): The 1996 Gorda Ridge event detection and response activities: historical perspective and future implications. *Deep-Sea Res. II*. 45: 2503-2512.
- Cowen, J. P., X. Wen, R.D. Jones, and R. E. Thomson. (1998): Elevated NH₄⁺ in

- neutrally-buoyant hydrothermal plume: Endeavour Segment, Juan de Fuca Ridge. *Deep-Sea Res. I*, 45: 1891-1902.
- Cowen, J. P., M. A. Bertram, E. T. Baker, G. J. Massoth, R. A. Feely, and M. Summit (1998): Geomicrobial Transformation of Manganese in Gorda Ridge Event Plumes. *Deep-Sea Res. II*, 45: 2713-2738.
- Cowen, J. P. (1992): Morphological study of marine bacterial capsules: implications for marine aggregates. *Mar. Biol.*, 114:85-95.
- Cowen, J. P. and Y.-H. Li (1991): The influence of a changing bacterial community on trace metal scavenging in a deep-sea particle plume. *J. Mar. Res.*, 49: 517-542.
- Cowen, J. P., G. J. Massoth, and R. A. Feely (1990): Scavenging rates of dissolved manganese in a hydrothermal vent plume. *Deep-Sea Res.*, 37:1619-1637.
- Cowen, J. P. (1989): Barophilic manganese binding by bacteria in deep-sea hydrothermal plumes. *Applied and Environ. Microbiol.* 55:764-766.
- Cowen, J. P., G. J. Massoth, and E. T. Baker (1986): Bacterial scavenging of Mn and Fe in a mid- to far-field hydrothermal particle plume. *Nature*, 322: 169-171.
- Cousens, B. L., R. L. Chase, and J-G Schilling (1984): Basalt geochemistry of the Explorer Ridge area, northeast Pacific. *Can. J. Earth Sci.*, 21: 157-170.
- Crane, K., F. A. Aikman III, R. Embley, S. Hammond, A. Malahoff, and J. Lupton (1985): The distribution of geothermal fields on the Juan de Fuca Ridge. *J. Geophys. Res.*, 90: 727-744.
- Cudrak, C., and R. Clowes (1993): Crustal Structure of Endeavour Ridge Segment, Juan de Fuca Ridge, From a Detailed Seismic Refraction Survey. *J. Geophys. Res.*, 98: 6329-6350.
- Currie, R. J., and E. E. Davis (1994): Low crustal magnetization of the Middle Valley sedimented rift inferred from sea-surface magnetic anomalies, in M. J. Mottl, E. E. Davis, A. J. Fisher, and J. R. Slack, (Eds). *Proc. ODP, Scientific Results*, vol. 139, 19-28, 1994.
- D'Asaro, E., S. L. Walker, and E. T. Baker (1994): Structure of two hydrothermal megaplumes. *J. Geophys. Res.*, 99: 20,361-20,373.
- Davis, E. E., K. Wank, K. Becker, R. E. Thomson, and J. A. Cassidy (2000): An episode of seafloor spreading and associated plate deformation inferred from crustal fluid Pressure transients. *Eos Trans. Am. Geophys. Un. Fall Mtg. Suppl.*, 81: F1154.
- Davis, E. E., and K. Becker (1999): Tidal pumping of fluids within and from the oceanic crust: new observations and opportunities for sampling the crustal hydrosphere. *Earth Planet. Sci. Lett.*, 172: 141-149.
- Davis, A. S., D. A. Clague, and W. M. White (1998): Geochemistry of basalt from Escanaba Trough: Evidence for sediment contamination. *J. of Petrology*, 39(3): 841-858.
- Davis, A. S., D. A. Clague, and W. B. Friesen (1994): Petrology and mineral chemistry of basalt from Escanaba Trough, southern Gorda Ridge. *U.S. Geol. Survey Bulletin* 2022: 153-170.
- Davis, A. S., and D. A. Clague (1990): Gabbroic xenoliths from the northern Gorda Ridge: Implications for magma chamber processes under slow-spreading centers. *J. Geophys. Res.*, 95: 10885-10990.
- Davis, A. S., and D. A. Clague (1987): Geochemistry, mineralogy and petrogenesis of basalt from the Gorda Ridge. *J. Geophys. Res.*, 92: 10,467-10,483.

- Davis, E. E., K. Wang, K. Becker, and R. E. Thomson (2000): Formation-scale hydraulic and mechanical properties of oceanic crust Inferred from pore-pressure response to periodic seafloor loading. *J. Geophys. Res.*, in press.
- Davis, E. E., D. S. Chapman, et al. (1999): Regional heat flow variations across the sedimented Juan de Fuca Ridge eastern flank: Constraints on lithospheric cooling and lateral hydrothermal heat transport. *J. Geophys. Res.*, 104: 17,675-17,688.
- Davis, E. E., and K. Becker (1999): Tidal pumping of fluids within and from the oceanic crust: new observations and opportunities for sampling the crustal hydrosphere. *Earth Planet. Sci. Lett.*, 172: 141-149.
- Davis, E.E., D.S. Chapman, K. Wang, H. Villinger, A.T. Fisher, S.W. Robinson, J. Grigel, D. Pribnow, J. Stein, and K. Becker (1999): Regional heat-flow variations across the sedimented Juan de Fuca Ridge eastern flank: Constraints on lithospheric cooling and lateral hydrothermal heat transport, *J. Geophys. Res.*, 104, B8, 17,675-17,688.
- Davis, E. E., D. S. Chapman, H. Villinger, S. Robinson, J. Grigel, A. Rosenberger, and D. Pribnow (1997): Seafloor heat flow data on the eastern flank of the Juan de Fuca Ridge: Data from "Flank Flux" studies through 1995, in E. E. Davis, A. T. Fisher, Firth, and the ODP Leg 168 Shipboard Scientific Party (1997): *Proc. ODP*, Initial Reports, 168.
- Davis, E. E., H. Villinger, R. D. Macdonald, R. D. Meldrum, and J. Grigel (1997): A robust rapid response probe for measuring bottom-hole temperatures in deep-ocean boreholes. *Mar. Geophys. Res.*, 19: 267-281.
- Davis, E. E., K. Wang, J. He, D. S. Chapman, H. Villinger, and A. Rosenberger (1997): An unequivocal case for high Nusselt number hydrothermal convection in sediment-buried igneous oceanic crust. *Earth Planet. Sci. Lett.*, 146: 137-150.
- Davis, E. E., A. T. Fisher, et al. (1997): Introduction and summary: hydrothermal circulation in the oceanic crust and its consequences on the eastern flank of the Juan de Fuca ridge. ODP Leg 168 Shipboard Scientific Party, *Proc. ODP*, Initial Reports., 168, 470 pp., 1997.
- Davis, E. E., A. T. Fisher, J. V. Firth, and the ODP Leg 168 Shipboard Scientific Party (1997): *Proc. ODP* Problems with imaging cellular hydrothermal circulation in the upper oceanic crust. *Geophys. Res. Lett.*, 23: 3551-3554.
- Davis, E. E. and K. Becker (1994): Thermal and tectonic structure of the Escanaba Trough: New heat flow measurements and seismic-reflection profiles, Chapter 3 in J. L. Morton, R.A. Zierenberg, and C.A. Reiss (Eds), *Geologic, Hydrothermal and Biologic Studies at Escanaba Trough, Gorda Ridge, Offshore Northern California*, USGS Bulletin 2022.
- Davis, E. E., and K. Becker: Formation pressures and temperatures in a sedimented rift hydrothermal system: Ten months of CORK observations, Holes 857D and 858G, in E.E. Davis, M.J. Mottl, A.T. Fisher and et al. (Eds.), *Proc. ODP*, Sci. Results., 139, 613-626, 1994.
- Davis, E. E., and A. T. Fisher (1994): On the nature and consequences of hydrothermal circulation in the Middle Valley sedimented rift: A synthesis of inferences from geophysical and geochemical observations, ODP Leg 139, in E.E. Davis, M.J. Mottl, A.T. Fisher and et al. (Eds.), *Proc. ODP*, Sci. Results., 139, 613-626.
- Davis, E. E., and D. A. Seemann (1994): Anisotropic thermal conductivity of Pleistocene

- turbidite sediments of the northern Juan de Fuca Ridge, in M. J. Mottl, E. E. Davis, A. J. Fisher, and J. R. Slack (Eds), *Proc. ODP*, Scientific Results, vol 139, pp 559-564.
- Davis, E. E., and K. Wang (1994): Present and past temperatures of sediments at Site 857, Middle Valley, Northern Juan de Fuca Ridge, in M. J. Mottl, E. E. Davis, A. J. Fisher, and J. R. Slack (Eds), *Proc. ODP*, Scientific Results, vol 139, pp 565-572.
- Davis, E. E., and R. G. Currie (1993): Geophysical observations of the northern Juan de Fuca Ridge system: Lessons in seafloor spreading. *Can. Jour. Earth Sci.*, 30, 278-300.
- Davis, E. E., and H. Villinger (1992): Tectonic and thermal structure of the Middle Valley sedimented rift, northern Juan de Fuca Ridge, in E. E. Davis, M. J. Mottl, and A. T. Fisher, T. *Proc. ODP*, Initial Reports, 139: 9-42.
- Davis, E. E., M. J. Mottl, and A. T. Fisher (1992): Site 858, Middle Valley, Juan de Fuca Ridge, *Proc. ODP*, Initial Reports, 139: 1026.
- Davis, E. E., D. S. Chapman, M. J. Mottl, W. J. Bentkowski, K. Dadey, C. Forster, R. Harris, S. Nagihara, K. Rohr, G. Wheat, and M. Whiticar (1992): Flank Flux: An experiment to study the nature of hydrothermal circulation in a young oceanic crust, *Can. J. Earth Sci.*, 29, 925-952.
- Davis, E. E., K. Becker, T. Pettigrew, B. Carson, and R. MacDonald (1992): CORK: A hydrologic seal and downhole observatory for deep ocean borholes, in E. E. Davis, M. J. Mottl, A. T. Fisher, *Proc. ODP*, Initial Reports, v. 139, pp 43-54.
- Davis, E. E., D. S. Chapman, and C. B. Forster (1996): Observations concerning the vigor of hydrothermal circulation in young oceanic crust. *J. Geophys. Res.*, 101: 2927- 2942.
- Davis, E. E., D. S. Chapman, C. B. Forster, and H. Villinger (1989): Heat-flow variations correlated with buried basement topography on the Juan de Fuca Ridge flank. *Nature*, 342: 533-537.
- Davis, E. E., W. D. Goodfellow, B. D. Bornhold, J. Adshead, B. Blaise, H. Villinger, and G. M. LeCheminant (1987): Massive sulfides in a sediment drift valley, northern Juan de Fuca Ridge. *Earth Planet. Sci. Lett.*, 82: 49-61.
- Davis, E. E., and J. L. Karsten (1986): On the cause of the asymmetric distribution of seamounts about the Juan de Fuca Ridge: Ridge crest migration over a heterogeneous asthenosphere. *Earth Planet Sci. Letts.*, 79: 385-396.
- Davis, E. E., R. G. Currie, B. S. Sawyer, and R. P. Riddihough (1985): Juan de Fuca Ridge Atlas: Regional SeaMARC II Acoustic Image Mosaics and Seabeam Bathymetry, Open File Rep. 85-2. *Earth Physics Branch, Energy, Mines, and Resour.*, Ottawa.
- Davis, E. E., R. G. Currie, B. S. Sawyer, and D. M. Hussong (1984): Juan de Fuca Ridge Atlas: SeaMARC II Acoustic Images, Open File Rep. 84-17. *Earth Physics Branch, Geol. Soc. Canada; Energy, Mines, and Resour.*, Ottawa.
- Davis, E. E., and R. P. Riddihough (1982): The Winona Basin: Structure and tectonics, *Can. J. Earth Sci.*, 19: 767-788.
- Davis, E. E., C. R. B. Lister, U. S. Wade, and R. D. Hyndman (1980): Detailed heat flow measurements over the Juan de Fuca Ridge system. *J. Geophys. Res.*, 85: 299-310.
- Davis, E. E., and C. R. B. Lister (1977): Tectonic structures on the Juan de Fuca Ridge. *Geol. Soc. Am. Bull.*, 88: 346-363.
- Davis, E. E., and C. R. B. Lister (1977): Heat flow measured over the northern Juan de

- Fuca Ridge: Evidence for widespread hydrothermal circulation in a highly heat-transportive crust. *J. Geophys. Res.*, 83: 4845-4860.
- Davis, E. E., C. R. B. Lister, et al. (1976): Seismic structure of the Juan de Fuca ridge: Ocean bottom seismometer results from the median valley. *J. Geophys. Res.*, 81: 3541-3555.
- Davis, E. E., and C. R. B. Lister (1974): Fundamentals of ridge crest topography. *Earth Planet. Sci. Lett.*, 21: 405-413.
- de Angelis, M.A., M.D. Lilley, E.J. Olson and J.A. Baross (1993) Methane oxidation in deep-sea hydrothermal plumes of the Endeavour Segment of the Juan de Fuca Ridge. *Deep-Sea Res.* (20): 1169-1186.
- de Angelis, M. A., J. A. Baross and M. D. Lilley (1991) Enhanced microbial methane oxidation in deep-sea hydrothermal vent field water at simulated *in-situ* hydrostatic pressures. *Limnol. Oceanogr.* 36: 565-570.
- de Angelis, M. A., A.-L. Reysenbach and J. A. Baross (1991) Surfaces of hydrothermal vent invertebrates: sites of elevated microbial methane oxidation activity. *Limnol. Oceanogr.* 36: 570-577.
- Delaney, J.R., D.S. Kelley, E. A. Mathez, D.R. Yoerger, J. Baross, M. Schrenk, M.K. Tivey, J. Kaye, V. Robigou, 2001 Edifice Rex Sulfide Recovery Project: Analysis of a Sulfide-Microbial Habitat from a Submarine Hydrothermal System, *EOS*, in press.
- Delaney, J. R., D. S. Kelley, E. Mathez, D. Yoerger, J. Baross, M. Schrenk and J. Kaye. 2001. Edifice Rex sulfide recovery project: Interdisciplinary analysis of a sulfide microbial habitat from a submarine hydrothermal system. *EOS* (in press).
- Delaney, J. R. (1998): Floor Show. *The Sciences*, July-August 1998: 27-33.
- Delaney, J. R., D. S. Kelley, M. D. Lilley, D. A. Butterfield, J. A. Baross, W. S. D. Wilcock, and M. Summit (1998): The quantum event of oceanic crustal accretion: Impacts of diking at Mid-Ocean Ridges. *Science*, 281: 222-230.
- Delaney, J. R., D. S. Kelley, M. D. Lilley, D. A. Butterfield, R. E. McDuff, J. A. Baross, J. W. Deming, H. P. Johnson, and V. Robigou (1997): The Endeavour Hydrothermal System I: Cellular circulation above an active cracking front yields large sulfide structures, "fresh" vent water, and hyperthermophilic archaea. *RIDGE Events* 8: 11-19.
- Delaney, J. R., V. Robigou, R. M. McDuff, and M. K. Tivey (1992): Geology of a vigorous hydrothermal system on the Endeavour segment, Juan de Fuca Ridge. *J. Geophys. Res.*, 97: 19,663-19,682.
- Delaney, J. R., H. P. Johnson, and J. L. Karsten (1981): The Juan de Fuca Ridge- hot spot - propagating rift system: New tectonic, geochemical, and magnetic data, *J. Geophys. Res.*, 86: 11,747-11,750.
- Delaney, J. R., D. S. Kelley, E. Mathez, D. Yoerger, J. Baross, M. Schrenk and J. Kaye. (in press) Edifice Rex sulfide recovery project: Interdisciplinary analysis of a sulfide microbial habitat from a submarine hydrothermal system. *EOS*.
- Deming, J. W. and J. A. Baross (1993) Deep-sea smokers: Windows to a subsurface biosphere. *Geochim. Cosmochim. Acta* 57: 3219-3230.
- Denlinger, R. P., and M. L. Holmes (1994): A thermal and mechanical model for sediment hills and associated sulfide deposits along Escanaba Trough. *U.S. Geol. Surv. Bull.*, 2022: 65-75.
- Desonie, D. L., and R. A. Duncan (1990): The Cobb-Eickelberg seamount chain: hotspot

- volcanism with mid-ocean ridge basalt affinity. *J. Geophys. Res.*, 95: 12,697-12,711.
- Dinet, A., F. J. Grassle, and V. Tunnicliffe (1988): Premieres observations sur la meiofaune des sites hydrothermaux de la dorsale Est-Pacifique et Explorer Ridge. *Oceanol. Acta. Sp.*, 8: 3-14.
- Dixon, J. E., E. Stolper, and J. R. Delaney (1988): Infrared spectroscopic measurements of CO₂ and H₂O in Juan de Fuca Ridge basaltic glasses. *Earth Planet. Sci. Lett.*, 90: 87-104.
- Dixon, J. E., D. A. Clague, and J.-P. Eissen (1986): Gabbroic xenoliths and host ferrobasalt from the southern Juan de Fuca Ridge. *J. Geophys. Res.*, 91: 3795-3820.
- Duckworth, R. C., A. E. Fallick, and D. Rickard (1994): Mineralogy and sulfur isotopic composition of the Middle Valley massive sulphide deposit, northern Juan de Fuca Ridge, in M. J. Mottl, E. E. Davis, A. T. Fisher, J. F. Slack, eds, *Proc. ODP, Scientific Reports*, 373-388.
- Dymond, J., E. T. Baker, and J. E. Lupton (1988): Plumes: The oceanic limb of seafloor hydrothermal systems. In *The Mid-oceanic Ridge, A Dynamic Global System. Proc. of a Nat. Acad. Sci. Workshop*, Nat. Acad. Press, Washington, D.C., pp. 209-231.
- Dymond, J. and S. Roth (1988): Plume dispersed hydrothermal particles: A time-series record of settling flux from the Endeavour Ridge using moored sensors. *Geochim et Cosmochim Acta*. (52), 2525-2536.
- Dziak, R. P., C. G. Fox, R. W. Embley, J. L. Nabelek, J. Braunmiller, and R. A. Koski (2000): Recent Tectonics of the Blanco Ridge, Eastern Blanco Transform Fault Zone. *Mar. Geophys. Res.*, in press.
- Dziak, R. P., and C. G. Fox (1999): Long-Term Seismicity and Ground Deformation at Axial Volcano, Juan de Fuca Ridge. *Geophys. Res. Lett.*, 26: 3641-3644.
- Dziak, R. P., and C. G. Fox (1999): The January 1998 Earthquake Swarm at Axial Volcano, Juan de Fuca Ridge: Evidence for Submarine Volcanic Activity. *Geophys. Res. Lett.*, 26: 3429-3432.
- Dziak, R. P., C. G. Fox, R. W. Embley, J. E. Lupton, G. C. Johnson, W. W. Chadwick, and R. A. Koski (1996): Detection of and Response to a Probable Volcanogenic T-wave Event Swarm on the Western Blanco Transform Fault Zone. *Geophys. Res. Lett.*, 23(8): 873-876.
- Dziak, R. P., D. G. Fox, and A. E. Schreiner (1995): The June-July 1993 Seismo-acoustic event at CoAxial segment, Juan de Fuca Ridge: Evidence for a lateral dike injection. *Geophys. Res. Lett.*, 22:135-138.
- Dziak, R. P., H. Matsumoto, and C. G. Fox (1993): Estimation of Seafloor Roughness Spectral Parameters From Multibeam Sonar Acoustic Data: Axial Seamount, Juan de Fuca Ridge. *Geophys. Res. Lett.*, 20(17): 1863-1866.
- Dziak, R. P., C. G. Fox, and R. W. Embley (1991): Relationship Between the Seismicity and Geologic Structure of the Blanco Transform Fault Zone. *Mar. Geophys. Res.*, 13: 203-208.
- Eaby, J. S., and D. A. Clague (1984): Preliminary description of basalt from the southern Juan de Fuca Ridge. *U.S. Geological Survey Open-File Report*, 82-200C: 17.
- Eaby, J., D. A. Clague, and J. R. Delaney (1984): Sr isotopic variations along the Juan de Fuca Ridge. *J. Geophys. Res.*, 89:7883-7890.
- Elderfield, H., C. G. Wheat, M. J. Mottl, C. Monnin, and B. Spiro (1999): Fluid and geochemical transport through oceanic crust: A transect across the eastern flank of the

- Juan de Fuca Ridge. *Earth Planet. Sci. Lett.*, 172: 151-169.
- Elvers, D., S. P. Srivastava, K. Potter, J. Morley, and D. Solidel (1973): Asymmetric spreading across the Juan de Fuca and Gorda rises as obtained from a detailed magnetic survey. *Earth Planet. Sci. Lett.*, 20: 211-219.
- Embley, R. W., W. W. Chadwick, Jr., M. R. Perfit, M. C. Smith, and J. R. Delaney (2000): Recent eruptions on the CoAxial segment of the Juan de Fuca Ridge: Implications for mid-ocean ridge accretion processes. *J. Geophys. Res.*, 105(B7), 16,501–16,526.
- Embley, R. W. and E. T. Baker (1999) Interdisciplinary group explores seafloor eruption with remotely operated vehicle, *Eos Trans. Am. Geophys. Un.*, 80, 213, 219, 222
- Embley, R. W., W. W. Chadwick, Jr., D. Stakes, and D. Clague (1999): 1998 eruption at Axial Volcano: Multibeam anomalies and seafloor observations. *Geophys. Res. Lett.*, 26: 3425-3428.
- Embley, R. W., and E. T. Baker (1999): Interdisciplinary group explores seafloor eruption with remotely operated vehicle. *EOS Trans. AGU*, 80: 213, 219, 222, [article].
- Embley, R., J. P. Cowen, M. Lilley, and H. Milburn (1997): Workshop report: Event Detection and Rapid Response to Volcanic Events on the Mid-Ocean Ridge. Published by Ridge Inter-Disciplinary Global Experiments (RIDGE).
- Embley, R.W., Chadwick, W.W. Jr., Perfit, M.R. and Smith, M.C., (1997), Patterns of Recent Volcanism on the Juan de Fuca Ridge: Hotspot Versus Spreading Center, *Trans. Amer. Geophys. Union*, 78, 641.
- Embley, R. W., W. W. Chadwick Jr., I. R. Jonasson, D. A. Butterfield, and E. T. Baker (1995): Initial results of the rapid response to the 1993 CoAxial event: Relationships between hydrothermal and volcanic processes. *Geophys. Res. Lett.*, 22: 143-146.
- Embley, R. W., and W. W. Chadwick, Jr. (1994): Volcanic and hydrothermal processes associated with a recent phase of seafloor spreading at the northern Cleft segment: Juan de Fuca Ridge, *J. Geophys. Res.*, 99: 4741-4760.
- Embley, R. W., and D. S. Wilson (1992): Morphology of the Blanco Transform Fault Zone-NE Pacific: Implications for its tectonic evolution, *Mar. Geophys. Res.*, 14: 25-45.
- Embley, R. W., W. Chadwick, M. R. Perfit, and E. T. Baker (1991): Geology of the northern Cleft segment, Juan de Fuca Ridge: Recent lava flows, sea-floor spreading, and the formation of megaplumes. *Geology*, 19: 771-775.
- Embley, R. W., K. M. Murphy, and C. G. Fox (1990): High-resolution studies of the summit of Axial Volcano. *J. Geophys. Res.*, 95: 12,785-12,812.
- Embley, R. W., L. D. Kulm, G. Massoth, D. Abbott, and M. Holmes (1988): Morphology, structure and resource potential of the Blanco Transform Fault Zone. *Geology and Resource Potential of the continental margin of Western North America and Adjacent Ocean Basins-Beaufort Sea to Baja California*, D.W. Scholl, A. Grantz, and J.G. Vedder (eds.), Circum-Pacific Council for Energy and Mineral Resources, Earth Science Series, Vol. 6, Amer. Assoc. Petro. Geologists, 549–561.
- Evans, W.C. L.D. White, and J.B. Rapp (1988): Geochemistry of some Gases in hydrothermal fluids from the southern Juan de Fuca Ridge. *J. Geophys. Res.* (93)B12, 15,305-15,313.
- Feely, R. A., E. T. Baker, G. T. Lebon, J. F. Gendron, J. A. Resing, and J.P. Cowen

- (1999): Evidence for sulfur enrichment in hydrothermal particles at Axial Volcano. *Geophys. Res. Lett.*, 26: 3649- 3653.
- Feely, R. A., M. Lewison, G. J. Massoth, G. Robert-Baldo, J. W. Lavelle, R. H. Byrne, K. L. Von Damm, and H. C. Curl, Jr.(1998): Composition and dissolution of black smoker particulates from active vents on the Juan de Fuca Ridge. *J. Geophys. Res.*, 92: 11,347-11,363.
- Feely, R. A., G. J. Massoth, J. H. Trefry, E. T. Baker, A. J. Paulson, and G. T. Lebon (1994): Composition and sedimentation of hydrothermal plume particles from North Cleft segment, Juan de Fuca Ridge. *J. Geophys. Res.*, 99(B3), 4985–5006.
- Feely, R. A., G. J. Massoth, E. T. Baker, G. T. Lebon, and T. L. Geiselman (1992): Tracking the dispersal of hydrothermal plumes from the Juan de Fuca Ridge using suspended matter compositions. *J. Geophys. Res.*, 97: 3457-3468.
- Feely, R. A., J. H. Trefry, G. J. Massoth, and S. Metz (1991): A comparison of the scavenging of phosphorus and arsenic from seawater by hydrothermal iron oxyhydroxides in the Atlantic and Pacific Oceans. *Deep-Sea Res.*, 38: 617-623.
- Feely, R. A., G. J. Massoth, E. T. Baker, J. P. Cowen, M. F. Lamb and K. A. Kroglund (1990): Impact of hydrothermal emissions on phosphate distributions in the Northeast Pacific. *Earth and Planetary Science Letters*, 96: 305-318.
- Feely, R.A., T.L. Geiselman, E.T. Gaker, G.J. Massoth, and S.R. Hammond (1990): Distribution and composition of hydrothermal plume particles from the ASHES vent field at Axial Volcano, Juan de Fuca Ridge. *J. Geophys. Res.* (95)B8: 12,855-12,873.
- Feely, R.A. and many. 1987. Composition and dissolution of black smoker particulates from active vents on the Juan de Fuca Ridge. *J. Geophys. Res.* 92, 11347-11363.
- Finney, A. R. (1989): Petrology and geochemistry of the Vance seamounts: Near-ridge seamounts along the Juan de Fuca Ridge, undergraduate honors thesis, 115 pp., Univ. of Florida, Gainesville.
- Fisher, A. T., and K. Becker (2000): Channelized fluid flow in oceanic crust reconciles heat-flow and permeability data. *Nature*, 403: 71-74.
- Fisher, A. T., K. Becker, and E. E. Davis (1997): The permeability of young oceanic crust east of Juan de Fuca Ridge determined using borehole thermal measurements. *Geophys. Res. Lett.*, 24: 1311-1314.
- Fisher, A., M. Langseth, P. Baker, W. Ryan, J. Stein, S. Glenn, P. Schultheiss, R. Zierenberg, G. Iturrino, W. Jin, E. Darlington, W. Goodfellow, D. Daniel, D., A. Conly, S. Cross, M. Grove, and B. Cramer (1997). The devil's in the details: Hydrogeology of Middle Valley active venting sites, *Eos Transactions, American Geophysical Union*, 78, No.16, 165-170.
- Fisher, C. R. (1998): Temperature and sulfide tolerance of hydrothermal vent fauna. *Cah. Biol. Mar.*, 39: 283-286.
- Fisher, C. R. 1996. Ecophysiology of primary production at dee-sea vents and seeps. In F. Uiblein, J. Ott and M. Stachowitsch (eds.) Dee-sea and extreme shallow-water habitats: affinities and adaptations - Biosystematics and Ecology Series 11:313-336.
- Fornari, D., and R. W. Embley (1995): Tectonic and volcanic controls on hydrothermal processes at the mid-ocean ridges: An overview based on near-bottom and submersible studies, In *Seafloor Hydrothermal Systems: Physical, Chemical, Biological, and Geological Interactions*, S. Humphris, R. Zierenberg, L. Mullineaux, and R. Thomson (eds.), Geophysical Monograph 91, American Geophysical Union,

- Washington, D.C., 1–46.
- Forster, T. D. (1962): Heat flow measurements in the northeast Pacific and in the Bering Sea. *J. Geophys. Res.*, 67: 2991.
- Fox, C. G., and R. P. Dziak (1999): Internal deformation of the Gorda Plate observed by hydroacoustic monitoring. *J. Geophys. Res.*, 104(B8): 17,603 - 17,616.
- Fox, C. G. (1999): *In-situ* ground deformation measurements from the summit of Axial Volcano during the 1998 volcanic episode. *Geophys. Res. Lett.*, 26(23): 3437 - 3440.
- Fox, C. G., and A. M. Bobbitt (1999): NOAA Vents Program GIS: Integration, Analysis and Distribution of Multi-disciplinary Oceanographic Data, In *Mar. Coast. GIS*, D.J. Wright and D.J. Bartlett (eds.), Taylor and Francis, London, 163–176.
- Fox, C. G., and R. P. Dziak (1998): Hydroacoustic detection of volcanic activity on the Gorda Ridge, February-March, 1996. *Deep-Sea Res.*, 45(12): 2513-2530.
- Fox, C. and J. P. Cowen (1996): Northern Gorda Ridge: Event Detection and Response 1996. *RIDGE Events* 7(2): 1-4.
- Fox, C. G. (1996): Objective classification of ridge crest terrains using two-dimensional spectral models of bathymetry: Application to the Juan de Fuca Ridge. *Mar. Geophys. Res.*, 18:707-728
- Fox, C. G. (1995): Special collection on the June 1993 volcanic eruption on the CoAxial segment, Juan de Fuca Ridge. *Geophys. Res. Lett.*, 22: 129-130.
- Fox, C. G., W. E. Radford, R. P. Dziak, T. K. Lau, H. Matsumoto, and A. E. Schreiner (1995): Acoustic detection of a seafloor spreading episode on the Juan de Fuca Ridge using military hydrophone arrays. *Geophys. Res. Lett.*, 22: 131-134.
- Fox, C. G., and S. R. Hammond (1994): The VENTS Program T-phase project and NOAA's role in ocean environmental research. *Mar. Tech. Soc. Jour.*, 27(4): 70-74.
- Fox, C. G., R. P. Dziak, H. Matsumoto, and A. E. Schreiner (1994): Potential for monitoring low-level seismicity on the Juande Fuca Ridge using military hydrophone arrays. *Mar. Tech. Soc. Jour.*, 27(4): 22-30.
- Fox, C. G. (1993): Five years of ground deformation monitoring on Axial Seamount using a bottom pressure recorder. *Geophys. Res. Lett.*, 20: 1859-1862.
- Fox, C. G., W. W. Chadwick, Jr., and R. W. Embley (1992): Detection of changes in ridge crest morphology using repeated multibeam sonar surveys. *J. Geophys. Res.*, 97: 11,149-11,162.
- Fox, C. G. (1990): The consequences of phase separation on the distribution of hydrothermal fluids at ASHES Vent Field, Axial Volcano, Juan de Fuca Ridge. *J. Geophys. Res.*, 95(B8): 12923- 12926.
- Fox, C. G. (1990): Evidence of active ground deformation on the mid-ocean ridge: Axial Volcano, Juan de Fuca Ridge, April-June 1988. *J. Geophys. Res.*, 95: 12,813-12,822.
- Fox, C. G., K. M. Murphy, and R. W. Embley (1988): Automated display and statistical analysis of interpreted deep-sea bottom photographs. *Mar. Geol.*, 78: 199-216.
- Fullarton, J. G. et al. (1995): Fatty acids of hydrothermal vent Ridge iapiscesae and bivalves containing symbiotic bacteria. *J. Mar. Biol. Assoc. U.K.* 75: 455-468.
- Gaetani, G.A., S.E. DeLong, and R. Wark (1995): Petrogenesis of basalts from the Blanco Trough, northeast Pacific: Inferences for off-axis melt generation. *J. Geophys. Res.*, 100: 4197-4214.
- Gendron, J. F., J. F. Todd, R. A. Feely, E. T. Baker and D. Kadko (1994): Excess ^{222}Rn

- over the Cleft Segment, Juan de Fuca Ridge. *J. Geophys. Res.*, 99: 5007-5015.
- Gendron, J. F., J. P. Cowen, R. A. Feely, and E. T. Baker (1993): Age estimate for the 1987 megaplume on the southern Juan de Fuca Ridge using excess radon and manganese partitioning. *Deep-Sea Res.*, 40: 1559-1567.
- German, C.R., K.J. Richards, M.D. Rudnicki, M.M. Lam, J.L. Charlou, FLAME Scientific Party. 1998. Topographic control of a dispersing hydrothermal plume. *Earth Planet. Sci. Lett.* 156, 267-273.
- German, C.R., D.L. Bourles, E.T. Brown, J. Hergt, S. Colley, N.C. Higgs, E.M. Ludford, T.A. Nelsen, R.A. Feely, G. Raisbeck, and F. Yiou (1997): Hydrothermal scavenging on the Juan de Fuca Ridge: $^{230}\text{Th}_{\text{xs}}$, ^{10}Be , and REEs in ridge-flank sediments. *Geochim et Cosmochim Acta*, (61)19, 4067-4078.
- Germanovich, L. N., R. P. Lowell, and D. K. Astakhov (2001) Temperature-dependent permeability and bifurcation in hydrothermal flow, 106, 473-495.
- Giambalvo, E. R., A. T. Fisher, J. T. Martin, L. Darty, and R. P. Lowell: Origin of elevated sediment permeability in a hydrothermal seepage zone, eastern flank of the Juan de Fuca Ridge, and implications for transport of fluid and heat. *J. Geophys. Res.*, (105)897-912.
- Ginster, Ursula, M.J. Mottl, and R. P. Von Herzen (1994): Heat flux from black smokers on the Endeavour and Cleft segments, Juan de Fuca Ridge. *J. Geophys. Res.* (99)B3: 4937-4950.
- Giorgetti G., P. Marescotti, R. Cabella, and G. Lucchetti (2000): Clay mineral mixtures as alteration products in pillow basalts from eastern flank of Juan de Fuca ridge: a TEM-AEM study. *Clay Minerals*, submitted.
- Goldstein, S. J., M. T. Murrell, D. R. Janecky, J. R. Delaney, and D. A. Clague (1992): Geochronology and petrogenesis of young MORB from the Juan de Fuca and Gorda Ridges by ^{238}U - ^{230}Th disequilibrium. *Earth. Planet. Sci. Lett.*, 109: 255-272.
- Goldstein, S. J., M.T. Murrell and D. R. Janecky (1989) Th and U isotopic systematics of basalts from the Juan de Fuca and Gorda Ridges by mass spectrometry, *Earth Planet. Sci. Lett.*, 96, 134-146.
- Gregg, T. K. P., and W. W. Chadwick, Jr. (1996): Submarine lava-flow inflation: A model for the formation of lava pillars. *Geology*, 24: 981-984.
- Groschel-Becher, H., E. E. Davis, and J. M. Franklin (1994): Data report: Physical properties of massive sulfide from Site 856, Middle Valley, northern Juan de Fuca Ridge, in M. J. Mottl, E. E. Davis, A. J. Fisher, and J. R. Slack, (Eds), *Proc. ODP, Scientific Results*, vol 139, pp. 721-724.
- Hammond, S.R. (1997): Offset caldera and crater collapse on Juan de Fuca Ridge flank volcanoes. *Bull. Volcan.*, 58(8), 617-627.
- Hammond, S. R. (1990): Relationships between lava types, seafloor morphology, and the occurrence of hydrothermal venting in the ASHES vent field of Axial Volcano. *J. Geophys. Res.* (95)B8, 12,875-12,893.
- Hannington, M. D., I. R. Jonasson, P. M. Herzig and S. Petersen (1995): Physical and chemical processes of seafloor mineralization at mid-ocean ridges, In *Seafloor Hydrothermal Systems: Physical, Chemical, Biological, and Geological Interactions*, S. Humphris, R. Zierenberg, L. Mullineaux, and R. Thomson (eds.), Geophysical Monograph 91, American Geophysical Union, Washington, D.C., 115-157.

- Hannington, M. D. and S. D. Scott (1988): Mineralogy and geochemistry of a hydrothermal silica-sulfide-sulfate spire in the caldera of Axial Seamount, Juan de Fuca Ridge. *Can. Mineral.*, 26, 603-625.
- Hasselgren, E. O., and R. M. Clowes (1995): Crustal structure of northern Juan de Fuca plate from multichannel reflection data. *J. Geophys. Res.*, 100: 6469-6486.
- Hedrick, D. B., R. D. Pledger, D. C. White and J. A. Baross (1992) *In-situ* microbial ecology of hydrothermal vent sediments. *FEMS Microbial Ecology* 101: 1-10.
- Hegner, E., and M. Tatsumoto (1987): Pb, Sr, and Nd isotopes in basalts and sulphides from the Juan de Fuca Ridge, *J. Geophys. Res.*, 92: 11380-11385.
- Hegner, E., and M. Tatsumoto (1989): Pb, Sr, and Nd isotopes in seamount basalts from the Juan de Fuca Ridge and Kodiak-Bowie Seamount Chain, northeast Pacific. *J. Geophys. Res.*, 94: 17839- 13846.
- Hein, J. R., R. Koski, R. W. Embley, J. Reid, S. Chang, and L. Roberts: Diffuse-flow hydrothermal field in an oceanic fracture zone setting, northeast Pacific: Deposit composition. *Exploration and Mining Geol.*, in press.
- Helfrich, K. R., T. M. Joyce, G. A. Cannon, S. A. Harrington, and D. J. Pashinski (1998): Mean hydrographic and velocity sections near Pipe Organ vent at Juan de Fuca Ridge, *Geophys. Res. Lett.*, 25:1737-1740.
- Hey, R. N. and D. S. Wilson (1982): Propagating rift explanation for the tectonic evolution of the northeast Pacific - The pseudomovie. *Earth Planet. Sci. Lett.*, 58: 167-188.
- Hodgson, A. N., J. M. Healy and V. Tunnicliffe (1997): Spermatogenesis and sperm structure of the hydrothermal vent prosobranch gastropod *Lepetodrilus fucensis*. *J. Invertebrate Reprod. & Develop.*, 31: 87-97.
- Holden, J. F., K. Takai, M. Summit, J. A. Zyskowski and J. A. Baross (2001) Diversity among deep-sea hyperthermophilic sulfur-reducing *Thermococcus* and *Pyrococcus* species. *FEMS Microbiol. Ecol.* (in revision)
- Holden, J. F. and J. A. Baross (1993) Enhanced thermotolerance and temperature induced changes in protein composition in the hyperthermophilic archaeon ES4. *J. Bacteriol.* 175: 2839-2843.
- Holden, J.F. and J.A. Baross. (1995) Enhanced thermotolerance by hydrostatic pressure in the deep-sea hyperthermophile *Pyrococcus* strain ES4. *FEMS Microbiol. Ecol.* 18: 27-34.
- Holden, J. F., M. Summit, and J. A. Baross (1998): Thermophilic and hyperthermophilic microorganisms in 3-30 deg C hydrothermal fluids following a deep-sea volcanic eruption. *FEMS Microbiology and Ecology*, 25(1): 33-41.
- Holden, J. F., K. Takai, M. Summit, S. Bolton, J. A. Zyskowski, and J. A. Baross (submitted): Diversity among three novel groups of hyperthermophilic deep-sea *Thermococcus* species from three sites in the Northeastern Pacific Ocean. *Extremophiles*.
- Holden, J. F., M. Summit, and J. A. Baross (1998): Thermophilic and hyperthermophilic microorganisms in 3-30 degree C hydrothermal fluids following a deep-sea volcanic eruption. *FEMS Microbiology Ecology* 25: 33-41.
- Holmes, M. L. and H. P. Johnson (1993): Upper Crustal Densities Derived from Bottom Gravity Measurements: Northern Juan de Fuca Ridge. Submitted to *Geophys. Res. Lett.*, 17:1871-1874.

- Holmes, M., J. Morton, D. Clague, R. Embley, D. Cacchione, and D. Abbott (1986): Morphology and mineral resources of Gorda Ridge and Blanco Fracture Zone, northeast Pacific Ocean. Program, Circum-Pacific Energy and Mineral Resources Conference, Singapore, p 25.
- Hooft, E. E. and R. S. Detrick (1995): Relationship between axial morphology, crustal thickness and mantle temperature along the Juan de Fuca and Gorda Ridges. *J. Geophys. Res.*, 100: 22,499- 22,508.
- Humes, A. G. (1999): Dirivultidae (Copepoda: Siphonostomatoida) from deep-sea hydrothermal vents and cold seeps in the Pacific, including *Dirivultus spinigulatus*, sp. nov., near Lihir Island, Papua New Guinea. *JM BAUK*, in press.
- Humes, A. G. (1999): Collocherides brychius, a new species (Copepoda: Siphonostomatoida: Asterocheridae), from a deep-water hydrothermal site in the northeastern Pacific. *Proc. Biol. Soc. Wash.*, 112:181-188.
- Humes, A. G. (1999): Copepoda (Cyclopinidae and Misophriidae) from a deep-sea hydrothermal site in the northeastern Pacific. *Journal of Natural History*, 33: 961-978.
- Humes, A. G. (1993): Copepoda (Poecilostomatoida and Siphonostomatoida) from deep-sea hydrothermal vent areas off British Columbia. *Can. J. Zool.*, 70: 1369-1380.
- Hunter, A. G., P. D. Kempton, and P. Greenwood (1999): Low-temperature fluid-rock interaction - an isotopic and mineralogical perspective of upper crustal evolution, eastern flank of Juan de Fuca Ridge, ODP Leg 168. *Chem. Geol.*, 155: 3-28.
- Hunter, A. G., and the Leg 168 Shipboard Scientific Party (1998): Petrological investigations of low temperature hydrothermal alteration of the upper crust, Juan de Fuca Ridge, ODP Leg 168. In R. A. Mills, and K. Harrison, eds., *Modern Ocean Floor Process*.
- Inoue, A. (1999): Two-dimensional variations of exchangeable cation composition in the terrigenous sediment, eastern flank of the Juan de Fuca Ridge. *Mar. Geol.*, 162: 501-528.
- Jacobson, R. S., L. D. Bibee, et al. (1987): A micro-seismicity survey of Axial seamount, Juan de Fuca Ridge. *Bull. Seis. Soc. Am.*, 77: 160-172.
- Johnson, H. P., M. Hutnak, R. P. Dziak, C. G. Fox, I. Urcuyo, J. P. Cowen, J. Nabelek, and C. R. Fisher (2000): Earthquake-induced changes in a hydrothermal system at the Endeavour Segment: Juan de Fuca Ridge. *Nature*, accepted.
- Johnson, H. P., D. Van Patten, M. A. Tivey, and M. J. Pruis: Density of upper oceanic crust from seafloor gravity measurements. *Geophys. Res. Lett.*, in press.
- Johnson, H. P. and M. Hutnak (1997): Conductive heat loss in recent eruptions at mid-ocean ridges. *Geophys. Res. Lett.*, 24: 3089-3092.
- Johnson, H. P., and M. A. Tivey (1995): Magnetic properties of zero-age oceanic crust; a new submarine lava flow on the Juan de Fuca Ridge. *Geophys. Res. Lett.*, 22: 175-178.
- Johnson, Paul H. and Richard L. Carlson (1992): Variation of sea floor depth with age: a test of models based on drilling results. *Geophys. Res. Letters*, (19)19, 1971-1974.
- Johnson, H.P. and V. Tunnicliffe (1988) Time lapse photography of a hydrothermal system: a successful one-year deployment. *EOS*. (69)44: 1024-1025.
- Johnson, H. P. and V. Tunnicliffe (1985): Time-series measurements of hydrothermal activity on northern Juan de Fuca Ridge. *Geophys. Res. Lett.*, 12: 685-688.

- Johnson, H. P., J. L. Karsten, J. R. Delaney, E. E. Davis, R. G. Currie, and R. L. Chase (1983): A detailed study of the Cobb Offset of the Juan de Fuca Ridge: Evolution of a propagating rift, *J. Geophys. Res.*, 88: 2297-2315.
- Johnson, P. H. and M. L. Holmes: Evolution in plate tectonics; The Juan de Fuca Ridge, in *The Geology of North America* (1989): In Vol. N, The Eastern Pacific Ocean and Hawaii, edited by E. L. Winterer, D. M. Hussong, and R. W. Decker, pp. 73-91, Geological Society of America, Boulder, Colorado.
- Jones, C. J., H. P. Johnson, and J. R. Delaney (1981): Distribution of hydrothermal manganese over the Juan de Fuca Ridge. *Geophys. Res. Lett.*, 8: 873-876.
- Joyce, T. M., G. A. Cannon, D. J. Pashinski, K. R. Helfrich, and S. A. Harrington (1998): Vertical and temporal vorticity observations at Juan deFuca Ridge: hydrothermal signatures. *Geophys. Res. Letters*, 25: 1741-1744.
- Juniper, S. K., P. Martineu, J. Sarrazin, and Y. G  linas (1995): Microbial-mineral floc associated with nascent hydrothermal activity on CoAxial Segment, Juan de Fuca Ridge. *Geophys. Res. Lett.*, 22: 179-182.
- Juniper, S. K. and J. Sarrazin (1995) Interaction of vent biota and hydrothermal deposits: Present evidence and future experimentation. In S. E. Humphris, R. A. Zierenberg, L. S. Mullineaux and R. E. Thompson (eds.) *Seafloor Hydrothermal Systems, Physical, Chemical, Biological and Geological Interactions*, Geophy. Monograph 91, pp. 178-193.
- Juniper, S. K. and B. M. Tebo (1995) Microbe-metal interactions and mineral deposition at hydrothermal vents. In D. M. Karl (ed.), *The Microbiology of Deep-Sea Hydrothermal Vents*, pp. 219-253. The CRC Press, Inc., Boca Raton, FL.
- Juniper, S. K., V. Tunnicliffe and E. C. Southward (1992): Hydrothermal vents in turbidite sediments on a northeast Pacific spreading centre: organisms and substratum at an ocean drilling site. *Canadian Journal of Zoology*, 70: 1792-1809.
- Juniper, S. K., I. R. Jonasson, V. Tunnicliffe, and A. J. Southward (1992): Modification of hydrothermal chimney mineralization by a tube-building polychaete. *Geology*, 20: 895-898.
- Juniper, S. K., I. R. Jonasson, V. Tunnicliffe, and A. J. Southward. 1992. Influence of a tube-building polychaete on hydrothermal chimney mineralization. *Geology* 20:895-898.
- Juniper, S. K., V. Tunnicliffe, and D. Desbruyeres (1990): Regional-scale features of northeast Pacific, East Pacific Rise and Gulf of Aden vent communities IN G. R. McMurray (ed.) *Gorda Ridge. A Seafloor Spreading Center in the United States' Exclusive Economic Zone*, Proc. of the Gorda Ridge Symposium, p. 265-278.
- Juteau, T., D. Bideau, O. Dauteuil, G. Manac'h, D. D. Naidoo, P. Nehlig, H. Ondreas, M. A. Tivey, K. X. Whipple, and J. R. Delaney (1995): A submersible study in the western Blanco Fracture Zone, N.E. Pacific: Structure and Evolution during the last 1.6 Ma. *Mar. Geophys. Res.*, 17:399- 430.
- Kadko, D., and D. A. Butterfield (1998): The relationship of hydrothermal fluid composition and crustal residence time to maturity of vent fields on the Juan de Fuca Ridge. *Geochim. Cosmochim. Acta.*, 62:1521-1533.
- Kadko, D. (1996): Radioisotopic studies of hydrothermal vents. *Rev. Geophys.* 34: 349-366.
- Kadko, D., J. Baross, and J. Alt (1995): Hydrothermal fluxes and global change, in

- Seafloor Hydrothermal Systems: Physical, Chemical, Biological, and Geological Interactions*, Geophys. Monogr. Ser., vol. 91, edited by S. Humphris, R. Zierenberg, L.S. Mullineaux, and R. Thomson, pp. 446-466, AGU, Washington D.C., 1995.
- Kadko, D., R. A. Feely, and G. J. Massoth (1994): Scavenging of ^{234}Th and PO_4 removal from the hydrothermal effluent plume over the N. Cleft Segment of the Juan de Fuca Ridge. *J. Geophys. Res.*, 99: 5017-5024
- Kadko, D. (1993): An assessment of the effect of chemical scavenging within submarine hydrothermal plumes upon ocean geochemistry. *Earth Planet. Sci. Lett.*, 120: 361-374.
- Kadko, D., N. D. Rosenberg, J. E. Lupton, R. W. Collier, and M. D. Lilley (1990): Chemical reaction rates and entrainment within the Endeavour Ridge hydrothermal plume. *Earth. Planet. Sci. Lett.*, 99: 315-335.
- Kadko, D., and W. Moore. (1988): Radiochemical constraints on the crustal residence time of submarine hydrothermal fluids: Endeavour Ridge. *Geochim. Cosmochim. Acta*, 52: 659-668.
- Kadko, D. (1986): ^{222}Rn as a real time tracer of hydrothermal activity on the Gorda Ridge. State of Oregon Dept. of Geology and Mineral Industries, Open File Report 0-86-14, Final Report for Contract No.63-630-8505: 19.
- Kadko, D., R. Koski, M. Tatsumoto, and R. Bouse (1985/86): An estimate of hydrothermal fluid residence times and vent chimney growth rates based on $^{210}\text{Pb}/\text{Pb}$ ratios and mineralogic studies of sulfides dredged from the Juan de Fuca Ridge. *Earth Planet Sci. Lett.*, 99:315-335.
- Kappel, E. S. and J.M. Franklin (1989): Relationships between geologic development of ridge crests and sulfide deposits on the northeast Pacific ocean. *Econ. Geol.* (84)3, 485-505.
- Kappel, E. S., and W. R. Normark (1987): Morphometric variability within the axial zone of the southern Juan de Fuca Ridge: Interpretation from SeaMARC II, SeaMARC I, and deep sea photography. *J. Geophys.Res.*, 92: 11291-11302.
- Kappel, E. S., and W. B. F. Ryan (1986): Volcanic episodicity and a non-steadystate rift valley along northeast Pacific spreading centers: Evidence from Sea MARC I. *J. Geophys. Res.*, 91: 13,925- 13,940.
- Karlin, R., and M. Lyle (1986): Sediment studies on the Gorda Ridge, Open File Report 0-86-19, Portland, OR: State of Oregon Department of Geology and Mineral Industries, 76 pp.
- Karson, J. A., M. A. Tivey, J. R. Delaney, and D. D. Naidoo (2001): Internal structure of uppermost oceanic crust along the Western Blanco transform scarp: Implications for subaxial accretion and deformation at the Juan de Fuca Ridge, in review, *J. Geophys. Res.*, in review..
- Karsten, J. L., N. Becker, M. J. Mottl, and C. G. Wheat (1998): Petrology of Baby Bare and Mama Bare Lavas. *Geophys. Res. Lett.*, 25(1): 117-120.
- Karsten, J. L., J. R. Delaney, J. M. Rhodes, and R. A. Liias (1990): Spatial and temporal evolution of magmatic systems beneath the Endeavour Segment, Juan de Fuca Ridge: Tectonic and Petrologic Constraints. *J.Geophys. Res.*, 95: 19,235-19,256.
- Karsten, J. L., and J. R. Delaney (1989): Hot spot-ridge crest convergence in the Northeast Pacific. *J. Geophys. Res.*, 94: 700-712.
- Karsten, J. L. (1988): Spatial and temporal variations in the petrology, morphology, and

- tectonics of a migrating spreading center: The Endeavour Segment, Juan de Fuca Ridge, Ph.D. thesis, 329 pp., Univ. of Washington, Seattle.
- Karsten, J. L., S. R. Hammond, E. E. Davis, and R. G. Currie (1986): Detailed geomorphology and neotectonics of the Endeavour Segment, Juan de Fuca Ridge: New results from Seabeam swath mapping. *Geol. Soc. Am. Bull.*, 97: 213-221.
- Kaye, J. and J. A. Baross (2000) High incidence of halotolerant bacteria in Pacific hydrothermal vent and pelagic environments. *FEMS Microbiology Ecology* 32:249-260.
- Kelley, D.S., J.R. Delaney, and D.A. Yoerger, 2001 Geology and Venting Dynamics of the Mofra Hydrothermal Field, Endeavour Segment, Juan de Fuca Ridge *Geology*, in review.
- Kelley, D. S., J. R. Delaney, M. O. Schrenk and J. A. Baross (1999) Sulfide-microbial habitats in a submarine hydrothermal field, *Eos, Trans, AGU*, 80, 86.
- Kelley, D. S., M. D. Lilley, J. E. Lupton, and E. J. Olson (1998) Enriched H₂, CH₄, and ³He concentrations in hydrothermal plumes associated with the 1996 Gorda Ridge eruptive event, *Deep-Sea Res. II*, 45, 2665-2682.
- Korgen, B. J., G. Bodvarsson, et al. (1971): Heat flow through the floor of Cascadia Basin. *J. Geophys. Res.*, 76: 4758-4774.
- Koski, R. A., I. R. Jonasson, D. Kadko, V. K. Smith, and F. L. Wong (1994): Compositions, growth mechanisms, temporal relations of hydrothermal sulfide-sulfate-silica chimneys at the northern Cleft segment, Juan de Fuca Ridge. *J. Geophys. Res.*, 99: 4813-4832.
- Koski, R., S. D. Scott, M. D. Hannington, J. R. Delaney, and M. K. Tivey (1987): Hydrothermal processes and massive sulfide deposits on the Juan deFuca Ridge and other northeast Pacific spreading axes. In *Geology and resource potential of the continental margin of western North America and adjacent ocean basins - Beaufort Sea to Baja California*, ed. by D.W. Scholl, A. Grantz, and J.G. Vedder (eds.), Circum-Pacific Council for Energy and Mineral Resources, Earth Sciences Series, Vol. 6.
- Koski, R. A., D. A. Clague, and E. Oudin (1984): Mineralogy and chemistry of massive sulfide deposits from the Juan de Fuca Ridge. *Geol. Soc. Am. Bull.*, 95: 930-945.
- Krasnov, S., T. Stepanova, and M. Stepanov (1994): Chemical composition and formation of a massive sulfide deposit, Middle Valley, northern Juan de Fuca Ridge (Site 856), in M. J. Mottl, E. E. Davis, A. T. Fisher, J. F. Slack (eds.), *Proc. ODP*, 353-372.
- Kulm, L.D., E. Suess, J.C. Moore, B. Carson, B.T. Lewis, S.D. Ritger, D.C. Kadko, T. M. Thornburg, R.W. Embley, W.D. Rugh, G.J. Massoth, M. G. Langseth, G.R. Cochrane, R.L. Scamman. *Science*. (231) 561-566.
- Lavelle, J. W., and M. A. Wetzler (1999). Diffuse venting and background contributions to chemical anomalies in a neutrally buoyant ocean hydrothermal plume. *J. Geophys. Res.*, 104(C2): 3201- 3210.
- Lavelle, J. W., E. T. Baker, and G. J. Massoth (1998): On the calculation of total heat, salt, and tracer fluxes from ocean hydrothermal events. *Deep-Sea Res. II*, 45: 2619-2636.
- Lavelle, J. W. (1997): Buoyancy-driven plumes in rotating, stratified crossflows: Plume dependence on rotation, turbulent mixing, and cross-flow strength. *J. Geophys. Res.*,

- 102(C2): 3405-3420.
- Lavelle, J. W., and D. C. Smith IV (1996): Effects of rotation on convective plumes from line segment sources. *J. Phys. Oceanogr.*, 26(6): 863-872.
- Lavelle, J. W. (1995): The initial rise of a hydrothermal plume from a line segment source-results from a three-dimensional numerical model. *Geophys. Res. Lett.*, 22(2): 159-162.
- Lavelle, J. W., and E. T. Baker (1994): A numerical study of local convection in the benthic ocean induced by episodic hydrothermal discharges. *J. Geophys. Res.*, 99: 16,065-16,080.
- Lavelle, J. W., J. Cowen, and G. J. Massoth (1992): A model for the deposition of hydrothermal manganese near ridge crests. *J. Geophys. Res.*, 97(C5): 7413-7427.
- Leybourne, M. I. and N. A. Van Wagoner (1991): Heck and Heckle Seamounts, Northeast Pacific Ocean: High extrusion rates of primitive and highly depleted mid-ocean ridge basalt on off-ridge seamounts. *J. Geophys. Res.*, 96(B10): 16275-16293.
- Lichtman, G. S., and J. P. Eissen (1983): Time and space constraints on the evolution of medium-rate spreading centers. *Geology*, 11:592-595.
- Lichtman, G. S., W. R. Normark, J. R. Delaney, J. L. Morton, H. P. Johnson, and J. L. Karsten (1983): Photogeology and evolution of the Juan de Fuca Ridge. *U.S. Geol. Surv. Open File Rep.*, 83-464: 14pp.
- Liias, R. A. (1986): Geochemistry and petrogenesis of basalts erupted along the Juan de Fuca Ridge, Ph.D. thesis, 230 pp., Univ. of Massachusetts, Amherst.
- Lilley, M.D., R.A. Feely, and J.H. Trefry, (1995) Chemical and biochemical transformations in hydrothermal plumes, in: Seafloor hydrothermal systems: physical, chemical, biological, and geochemical interactions, Humphris, S.E., Zierenberg, R.A., Mullineaux, L.S. and Thomson, R.E. eds. Geophysical Monograph Series, 91, AGU, Washington, D.C., 369-391.
- Lilley, M. D., D.A. Butterfield, E. J. Olson, J. E. Lupton, S. A. Macko, and R. E. McDuff (1993) Anomalous CH₄, and NH₄⁺ concentrations at an unsedimented mid-ocean ridge hydrothermal system, *Nature*, 364, 45-47.
- Lister, C. R. B. (1989): Plate tectonics at an awkward junction: Rules for the evolution of Sovanco Ridge area, NE Pacific. *Geophys. J.*, 96: 191-201.
- Lister, C. R. B. (1974): On the penetration of water into hot rock. *Geophys. J. R. Astr. Soc.*, 39: 465-509.
- Lister, C. R. B. (1972): On the thermal balance of a Mid-Ocean Ridge. *Geophys. J. R. Astr. Soc.*, 26: 515-535.
- Lowell, R. P., and L. N. Germanovich (1995) Dike injection and the formation of megaplumes at ocean ridges, *Science*, 267, 1804-1807.
- Lundstrom, C.C., J. Gill, Q. Williams and M.R. Perfit (1995) Mantle melting and basalt extraction via equilibrium porous flow. *Science*.
- Lupton, J.E., E.T. Baker, and G.J. Massoth. 1999. Helium, heat, and the generation of hydrothermal event plumes at mid-ocean ridges. *Earth Planet. Sci. Lett.* 171, 343-350.
- Lupton, J. E., E. T. Baker, N. Garfield, G. Massoth, R. Feely, J. P. Cowen, R. Greene, and T. Rago (1998): Tracking the evolution of a hydrothermal event plume using a RAFOS neutrally-buoyant drifter. *Science*, 280: 1052-1055.
- Lupton, J. E., E. T. Baker, G. J. Massoth, R. E. Thomson, B. J. Burd, D. A. Butterfield, R. W. Embley, and G. A. Cannon (1995): Variations in water-column ³He/heat ratios

- associated with the 1993 CoAxial event, Juan de Fuca Ridge. *Geophys. Res. Lett.*, 22: 155-158.
- Lupton, J. E., D. W. Graham, J. R. Delaney and H. P. Johnson (1993): Helium isotope variations in Juan de Fuca Ridge basalts. *Geophys. Res. Lett.*, 20: 1851-1854.
- Lupton, J. E., D. W. Graham, J. R. Delaney, and H. P. Johnson (1993): Helium isotope variations in Juan de Fuca Ridge basalts. *Geophys. Res. Lett.*, 20: 1851-1854.
- Lupton, J. E. (1990): Water column hydrothermal plumes on the Juan de Fuca Ridge. *J. Geophys. Res.*, 95: 12,829-12,842.
- Lupton, J. E., E. T. Baker, and G. J. Massoth (1989): Variable ^3He /heat ratios in submarine hydrothermal systems: Evidence from two plumes over the Juan de Fuca Ridge. *Nature*, 337: 161-164.
- Lupton, J. E., J. R. Delaney, H. P. Johnson, M. K. Tivey (1985): Entrainment and vertical transport of deep-ocean water by buoyant hydrothermal plumes. *Nature*, 316: 621-623.
- Malahoff, A., S. R. Hammond, R. W. Embley, R. G. Currie, E. E. Davis, R. P. Riddihough, and B. S. Sawyer, (1985): Juan de Fuca Atlas, preliminary Seabeam bathymetry, sheet 102 O/6/7, scale 1:50,000, NOAA-GSC. *Geol. Surv. Can. Open File Map*, 1143.
- Martineu, P., S. K. Juniper, C. R. Fisher, and G. J. Massoth (1997): Sulfide-binding in the body fluids of hydrothermal vent alvinellid polychaetes. *Phys. Zool.* 70: 578-588.
- Massoth, G. J., E. T. Baker, R. A. Feely, D. A. Butterfield, R. E. Embley, J. E. Lupton, R. E. Thomson, and G. A. Cannon (1995): Observations of manganese and iron at the CoAxial seafloor eruption site, Juan de Fuca Ridge. *Geophys. Res. Lett.*, 22: 151-154.
- Massoth, G. J., E. T. Baker, J. E. Lupton, R. A. Feely, D. A. Butterfield, K. Von Damm, K. K. Roe, and G. T. Lebon (1994): Temporal and spatial variability of hydrothermal manganese and iron at Cleft segment, Juan deFuca Ridge. *J. Geophys. Res.*, 99: 4905-4923.
- Massoth, G. J., D. A. Butterfield, J. E. Lupton, R. E. McDuff, M. D. Lilley, and I. R. Jonasson (1989): Submarine venting of phase-separated hydrothermal fluids at Axial Volcano, Juan de Fuca Ridge. *Nature*, 340: 702-705.
- McArthur, A. G. & B. F. Koop (1999): Partial ^{28}S r DNA sequences and the antiquity of hydrothermal vent endemic gastropods. *Molecular Phylogenetics and Evolution*, 13: 255-274.
- McConachy, T. F., and S. D. Scott (1987): Real-time mapping of hydrothermal plumes over southern Explorer Ridge, NE Pacific Ocean, Mar. *Mining*, 6: 181-204.
- McDonald, M. A., S. C. Webb, et al. (1994): Seismic structure and an isotropy of the Juan de Fuca ridge at 45°N , *J. Geophys. Res.*, 99: 4857-4873.
- McHugh, D. (1995): Unusual sperm morphology in a deep-sea hydrothermal-vent polychaete, *Paralvinella pandorae* (Alvinellidae). *Invertebrate Biol.*, 114: 161-169.
- McHugh, D., and V. Tunnicliffe (1994): Ecology and reproductive biology of the hydrothermal vent polychaete *Amphisamytha galapagensis* Zottoli (Family Ampharetidae). *Marine Ecology Progress Series*, 106:111-120.
- McLaughlin-West, E. A., E. J. Olson, M. D. Lilley, J. A. Resing, J. E. Lupton, E. T. Baker, and J. P. Cowen. (1999): Variations in hydrothermal methane and hydrogen

- concentrations following the 1998 eruption at Axial Volcano. *Geophys. Res. Lett.*, 26: 3453-3457.
- McLaughlin, E.A. (1998) Microbial hydrogen oxidation associated with deep-sea hydrothermal vent environments, PhD. Thesis, University of Washington, Seattle.
- McLean, J. (1994): New species and records of *Lepetodrilus* (Vetigastropoda:Lepetodilidae) in the hydrothermal vent habitat. *The Veliger*, 36: 27-35.
- McLean, J. H., and D. L. Geiger, (1998): New genera and species having the Fissurisepta shell form, with a generic-level phylogenetic analysis (Gastropoda: Fissurellidae). *Contributions in Science, Natural History Museum of Los Angeles County*, 475: 1-32.
- Meldrum, R. D., E. E. Davis, G. M. Jones, and R. D. Macdonald, (1998): A two-way acoustic communications link for deep-ocean observatories. *Mar. Tech. Soc. J.*, 32: 24-31.
- Michael, P. J., R. L. Chase, and J. F. Allan (1989): Petrologic and geologic variations along the Southern Explorer Ridge, Northeast Pacific Ocean. *J. Geophys. Res.*, 94: 13,895-13,918.
- Michael, P. J., and R. L. Chase (1987): The influence of primary magma composition, H₂O, and pressure on mid-ocean ridge basalt differentiation. *Contrib. Mineral Petrol.*, 96: 245-263.
- Milligan, B., and V. Tunnicliffe (1994): The fauna of Cleft Segment, Juan de Fuca Ridge and its relations to the underlying lavas. *J. Geophys. Res.*, 99: 4777-4786.
- Moran, J. E., and C. R. B. Lister (1987): Heat flow across Cascadia Basin near 47°N, 128°W. *J. Geophys. Res.*, 92: 11,416-11,432.
- Morton, J. L., and C. G. Fox (1994): Structural settling and interaction of volcanism and sedimentation at Escanaba Trough: Geophysical results. in *Geologic, Hydrothermal, and Biologic Studies at Escanaba Trough, Gorda Ridge, Offshore Northern California* (eds. J.L. Morton, R.A. Zierenberg, and C.A. Reiss), U.S. Geological Survey Bull. 2022, chapter 2, 21-44, 1994.).
- Morton, J. L., N. H. Sleep, W. R. Normark, and D. H. Thompkins (1987): Structure of the southern Juan de Fuca Ridge from seismic reflection records. *J. Geophys. Res.*, 92: 11,315-11,326.
- Mottl M. J., Wheat C. G., Monnin C., and Elderfield H. (2000) Data report: trace elements in porewater from Sites 1023 through 1032, eastern flank of the Juan de Fuca Ridge. In: Fisher A., Davis E.E., and Escutia C. (Eds.) *Proc. ODP Sci. Results* 168. College Station, TX (Ocean Drilling Program).
- Mottl, M. J., G. Wheat, E. Baker, N. Becker, E. Davis, R. Feely, A. Grehan, D. Kadko, M. Lilley, G. Massoth, C. Moyer, F. Sansone (1998): Warm springs discovered on 3.5 Ma oceanic crust, eastern flank of the Juan de Fuca Ridge. *Geology*, 26: 51-54.
- Mullineaux, L. S., P. H. Weibe, and E. T. Baker (1995): Larvae of benthic invertebrates in hydrothermal vent plumes over Juan de Fuca Ridge. *Mar. Biol.*, 122: 585-596.
- Murnane, R., and D. A. Clague, (1983): Nontronite from low-temperature hydrothermal system on the Juan de Fuca Ridge. *Earth. Planet. Sci. Lett.*, 65: 343-352.
- Nelson, K., and C. R. Fisher (2000): Speciation of the bacterial symbionts of deep-sea vestimentiferan tube worms. *Symbiosis*, in press.
- Nielsen, R. L., J. Crum, R. Bourgeois, K. Hascall, L. M. Forsythe, M. R. Fisk, and D. M. Christie (199?): Melt inclusions in high-An plagioclase from the Gorda Ridge: An

- example of the local diversity of MORB parentmagmas. *Contrib. Mineral. Petrol.*, 122: 34-50.
- Nobes, D. C., L. K. Law, and R. N. Edwards (1986): The determination of resistivity and porosity of the sediments and fractured basalt layers near Juan de Fuca Ridge. *Geophys. J. R. Astro. Soc.*, 86: 289-317.
- Normark, W. R., J. L. Morton, and S.L Ross (1987): Submersible observations along the southern Juan de Fuca Ridge: 1984 Alvin program. *J. Geophys. Res.*, 92: 11283-11290.
- Normark, W. R., J. L. Morton, R. A. Koski, D. A. Clague, and J. R. Delaney (1983): Active hydrothermal vents and sulfide deposits on the southern Juan de Fuca Ridge. *Geology* 11: 158- 163.
- Normark, W. R., J. E. Lupton, J. W. Murray, R. A. Koski, D. A. Clague, J. L. Morton, J. R. Delaney, and H. P. Johnson, (1982): Polymetallic sulfide deposits and water-column tracers of active hydrothermal vents on the southern Juan de Fuca Ridge, *Mar. Tech Soc J.*, 16, 46-52.
- Palmer, M. R., and G. G. J. Ernst (1998) Generation of hydrothermal megaplumes by cooling of pillow basalts at mid-ocean ridges, *Nature*, 393, 643-647.
- Perfit, M. R., and W. W. Chadwick, Jr.: Magmatism at mid-ocean ridges: Constraints from volcanological and geochemical investigations, in *Faulting and Magmatism at Mid-Ocean Ridges*, *Geophys. Monograph* 106, edited by W. R. Buck, et al., pp. 59-116, AGU, Washington DC.
- Pettibone, M. H. (1994): Additional records of polynoid polychaetes from the Juan de Fuca Ridge. *Proc. Biol. Soc. Wash.*, 10:609-614.
- Philpotts, J.A., P.J. Aruscavage, and K.L. Von Damm (1987): Uniformity and diversity in the composition of mineralizing fluids from hydrothermal vents on the southern Juan de Fuca Ridge. *J Geophys. Res.* (92B11): 11,327-11,333.
- Pledger, R. J. and J. A. Baross. 1989. Characterization of an extremely thermophilic archaeobacterium isolated from a black smoker polychaete (*Paralvinella sp.*) at the Juan de Fuca Ridge. *System. Appl. Microbiol.* 123: 249-256.
- Pledger, R. J. and J. A. Baross. 1991. Preliminary description and nutritional characterization of a chemoorganotrophic archaeobacterium growing at temperatures of up to 110°C isolated from a submarine hydrothermal vent environment. *J. Gen. Microbiol.* 137: 203-211.
- Pledger, R. J., B. Crump and J. A. Baross. 1994. A barophilic response by two hyperthermophilic hydrothermal vent Archaea: Acceleration of growth rate by supra-optimal temperature by elevated pressure. *FEMS Microbial Ecology* 14:233-242.
- Pribnow, D. F. C., E. E. Davis, and A. T. Fisher (2000): Borehole heat flow along the eastern flank of the Juan de Fuca Ridge, including effects of an isotropy and temperature dependence of sediment thermal conductivity. *J. Geophys. Res.*, in press.
- Pruis, M. J., and H. P. Johnson (1988): Porosity of very young oceanic crust from sea floor gravity measurements. *Geophys. Res. Lett.*, 25: 1959-1962.
- Radford-Knoery, J., E. Gaker, J.-L. Charlou, J.-P. Donval, Y. Fouquet, C.R. German and G.J. Massoth (1997). Hydrothermal plumes traced by dissolved sulfide. In *proc. Mar. Anal. Chem for monitoring and Oceanographic Res.*, ed. S. Blain, Universite de Bretagne Occidentale, Plouzane, France.
- Raff, A. D., and R. G. Mason (1961): Magnetic survey off the west coast of North

- America, 40°N latitude to 50°N latitude. *Geo. Soc. Am. Bull.*, 72: 1267-1270.
- Reyes, A. O., W. S. Moore, and D. S. Stakes (1995): $^{228}\text{Th}/^{228}\text{Ra}$ ages of barite-rich chimneys from the Endeavour Segment of the Juan de Fuca Ridge. *Earth Plan. Sci. Lett.*, 131: 99-113.
- Rhodes, J. M., C. Morgan, and R. A. Lias (1990): Geochemistry of Axial Seamount lavas: Magmatic relationship between the Cobb Hotspot and the Juan de Fuca Ridge. *J. Geophys. Res.*, 95: 12,713-12,733.
- Riddihough, R. (1984): Recent movements of the Juan de Fuca plate system. *J. Geophys. Res.*, 89: 6980-6994.
- Riddihough, R. P., and D. A. Seeman (1982): Juan de Fuca plate map, JFP-8 gravity anomaly, scale 1:2,000,000, Earth Phys. Br., *Energy Mines and Resour. Can.*, Ottawa, Ont.
- Riddihough, R. P. (1980): Gorda plate motions from magnetic anomaly analysis. *Earth Planet. Sci. Lett.*, 51: 16-170.
- Riddihough, R. P., R. G. Carrie, and R. D. Hyndman (1980): The Dellwood Knolls and their role in triple junction tectonics off northern Vancouver Island. *Can. J. Earth Sci.*, 17: 577-593.
- Robigou, V., J. R. Delaney, and D. S. Stakes (1993): Large massive sulfide deposits in a newly discovered active hydrothermal system, The High-Rise hydrothermal vent field: Endeavour Segment, Juan de Fuca Ridge. *Geophys. Res. Lett.*, 20: 1887-1890.
- Rogers, A. D., R. Gibson, and V. Tunnicliffe (1996): A new genus and species of monostiliferous hoplonemertean colonizing an inchoate hydrothermal field on Juan de Fuca Ridge. *Deep-Sea Res.*, 43: 1581-1599.
- Rohr, K. M. M. (1994): Increase of seismic velocities in upper oceanic crust and hydrothermal circulation in the Juan de Fuca plate. *Geophys. Res. Lett.*, 21(19): 2163-2166.
- Rohr, K. M. M., and U. Schmidt (1993): Regional patterns of hydrothermal alteration of sediments as interpreted from seafloor reflection coefficients, Middle Valley, Juan de Fuca ridge. *Geophys. Res. Lett.*, 20: 1867-1870.
- Rohr, K., E. E. Davis, and R. D. Hyndman (1992): Multichannel seismic reflection profiles across Middle Valley, northern Juan de Fuca Ridge. *Geol. Surv. Can. Open File* 2476.
- Rohr, K. M. M., B. Milkereit, and C. J. Yorath (1988): A symmetric deep crustal structure across the Juan de Fuca Ridge. *Geology*, 16: 533-537.
- Rona, P. A., D. R. Jackson, T. Wen, C. Jones, K. Mitsuzawa, K. G. Bemis, and J. G. Dworski (1997): Acoustic mapping of diffuse flow at a seafloor hydrothermal site: Monolith Vent, Juan de Fuca Ridge. *Geophys. Res. Lett.*, 24: 2351-2354.
- Rona, P. A., E. E. Davis, and R. J. Ludwig (1994): Thermal properties of TAG hydrothermal precipitates, Mid-Atlantic Ridge, and comparison with Middle Valley, Juan de Fuca Ridge, in S. Humphris, P. Herzig, S. Miller, and R. Zierenberg, (eds.), *Proc. ODP*, Scientific Results, 158: 329-335.
- Rona, Peter A. and D. Andrew Trivett (1992): Discrete and diffuse heat transfer at ASHES vent field, Axial Volcano, Juan de Fuca Ridge. *Earth Planet Sci. Lett* (109) 57-71.
- Rona, P.A., P.J. Meis, C.A. Beaverson, R.W. Embley, and C.G. Fox (1992): Geologic setting of hydrothermal activity at the northern Gorda Ridge. *Mar. Geol.* (106), 189-

201.

- Rona, P., and Clague, D. A. (1989): Geologic controls of hydrothermal discharge on the Northern Gorda Ridge. *Geology*, 17: 1097-1101.
- Rosenberg, N., J. E. Lupton, D. Kadko, R. Collier, M. D. Lilley and H. Pak (1988): Estimation of heat and chemical fluxes from a seafloor hydrothermal vent field using radon measurements. *Nature*, 334: 604-607.
- Ross, S. L., and R. A. Zierenberg (1994): Volcanic geomorphology of the SESCO and NESCA sites, Escanaba Trough. *US Geological Survey Bulletin*, 2022: 143-152.
- Roth, S. E., and J. Dymond (1989): Transport and settling of organic material in a deep-sea hydrothermal plume: evidence from particle flux measurements. *Deep-Sea Res.* (36)8: 1237-1254.
- Rudniki, M. D., H. Elderfield, and M. J. Mottl, (2000): Pore fluid advection and reaction in sediments of the eastern flank, Juan de Fuca Ridge, 48° N. *Earth Planet. Sci. Lett.*, in review.
- Sansone, F. J., M. J. Mottl, E. J. Olson, C. G. Wheat, and M. D. Lilley (1998): CO₂-depleted fluids from mid-ocean ridge-flank hydrothermal springs. *Geochim. Cosmochim. Acta.*, 62: 2247-2252.
- Sarrazin, J., and S. K. Juniper (1999): Biological characteristics of a hydrothermal edifice mosaic community. *Mar. Ecol. Progr. Ser.*, 185: 1-19.
- Sarrazin, J., V. Robigou, K. S. Juniper and J. R. Delaney (1997): Biological and geological dynamics over four years on a high-temperature sulfide structure at the Juan de Fuca Ridge hydrothermal observatory. *Mar. Ecol. Progr. Ser.*, 153: 5-24.
- Schreiner, A. E., C. G. Fox, and R. P. Dziak (1995): Spectra and Magnitudes of T-waves from the 1993 Earthquake Swarm on the Juan de Fuca Ridge. *Geophys. Res. Lett.*, 22(2): 139- 142.
- Schrenk, M. O., J. Z. Kaye, J. A. Baross, D. S. Kelley and J. R. Delaney (1998) Microbe-mineral associations in intact hydrothermal vent chimneys recovered from the Juan de Fuca Ridge, EOS, Trans. AGU, 79, 59.
- Schrenk, M. O., D. S. Kelley and J. A. Baross (1999) Attachment of hyperthermophilic microorganisms to mineral substrata: *in-situ* observations and subseafloor analogs. *Proceed. Geol. Soc. Amer.*, 31:7.
- Schuliger, J. W., S. H. Brown, J. A. Baross and R. M. Kelly (1993) Purification and characterization of a novel amylolytic enzyme from ES4, a marine hyperthermophilic archaeum. *Mol. Mar. Biol. Biotech.* 2:76-87.
- Schultz, A., J. R. Delaney, and R. E. McDuff (1992): On the partitioning of heat flux between diffuse and point source seafloor venting. *J. Geophys. Res.*, 97: 12,299-12,314.
- Schulze, A.: Comparative anatomy of excretory organs in vestimentiferan tube worms (Obolozoa, Pogonophora). *Zoolog. Morphologie*, in press.
- Scott, K., M. Bright, S. Macko, and C. Fisher (1999): Carbon dioxide use with different affinities by chemoautotrophic endosymbionts of the hydrothermal vent vestimentiferans *Riftia pachyptila* and *Ridgeia piscesae*. *Mar. Biology*, 135: 25-34.
- Scott, K. M., M. Bright, and C. R. Fisher (1998): The burden of independence: Inorganic carbon utilization strategies of the sulfur chemoautotrophic hydrothermal vent isolate *Thiomicrospira crunogena* and the symbionts of hydrothermal vent and cold seep vestimentiferans. *Cah. Biol. Mar.*, 39, no.3-4, 379-381.

- Scott, S. D., R. L. Chase, M. D. Hannington, P. J. Michael, T. F. McConachy, and G. T. Shea, (1990): Sulphide deposits, tectonics and petrogenesis of Southern Explorer Ridge, Northeast Pacific Ocean, in *Ophiolites: Ocean Crustal Analogues; proceedings of the symposium "Troodos 87"*, J. Malpas, E.M. Moores, A. Panayiotou, C. Xenophontos (eds), 719-733.
- Shillito, B., J. P. Lechaire, G. Goffinet and F. Gaill (1995): Composition and morphogenesis of the tubes of vestimentiferan worms. In L. M. Parson, C. L. Walker, and D. R. Dixon, (eds.). *Hydrothermal Vents and Processes. Geol. Soc. Sp. Publ.* 87: 295-302.
- Shoberg, T., S. Stein, and J. Karsten (1991): Constraints on rift propagation history at the Cobb Offset, Juan de Fuca Ridge, from numerical modeling of tectonic fabric. *Tectonophys.*, 197: 295- 308.
- Sinton, J. M., D. S. Wilson, D. M Christie, R. N. Hey, and J. R. Delaney (1983): Petrologic consequences of rift propagation on oceanic spreading ridges. *Earth Planet. Sci. Lett.*, 193-207.
- Smith, Matthew C., MR Perfit, RW Embley and WW Chadwick, (1997). Interpretations of Magmatic Activity and Crustal Accretion Along the CoAxial Segment and Axial Seamount North Rift Zone: Using Combined Acoustic and Geochemical Data to Map the Seafloor at the Scale of Individual Flows, EOS, Trans. Amer. Geophys. Union, 78, 676.
- Smith, M. C., M. R. Perfit, and I. R. Jonasson (1994): Petrology and geochemistry of basalts from the southern Juan de Fuca Ridge: Controls on the spatial and temporal evolution of mid-ocean ridge basalt. *J. Geophys. Res.*, 99(B3): 4787-4812.
- Snelgrove, S. H., and C. B. Forster (1996): Impact of seafloor sediment permeability and thickness on off-axis hydrothermal circulation: Juan de Fuca Ridge eastern flank. *J. Geophys. Res.*, 101: 2915- 2925.
- Sohn, R. A., W. C. Crawford, and S. C. Webb (1999): Local seismicity following the 1998 eruption of Axial Volcano. *Geophys. Res. Lett.*, 26: 3433-3436.
- Sohn, R. A., J. A. Hildebrand, and S. C. Webb (1998): Post-rifting seismicity and a model for the 1993 dike event on the CoAxial segment, Juan de Fuca Ridge. *J. Geophys. Res.*, 103(5): 9867- 9877.
- Sohn, R. A., J. A. Hildebrand, et al. (1997): Three-dimensional tomographic velocity structure of upper crust, CoAxial segment, Juan de Fuca Ridge: Implications for on-axis evolution and hydrothermal circulation. *J. Geophys. Res.*, 102: 17679-17695.
- Sohn, R. A., J. A. Hildebrand, S. C. Webb, and C. G. Fox (1995): Hydrothermal Microseismicity at the Megaplume Site on the Southern Juan de Fuca Ridge. *Bull. Seis. Soc. Am.*, 85(3): 775-786.
- Sours-Page, R., K. T. M. Johnson, R. L. Nielsen, and J. L. Karsten (1999): Local and Regional Variation of MORB Parent Magmas: Evidence from Melt Inclusions from the Endeavour Segment of the Juan de Fuca Ridge. *Contrib. Mineral. Petrol.*, 134: 342-363.
- Southward, A. J., E. C. Southward, B. Spiro, G. H Rau, and V. Tunnicliffe (1994): $^{13}\text{C}/^{12}\text{C}$ ratios of organisms from Juan de Fuca Ridge hydrothermal vents (Northeast Pacific): a guide to carbon and food sources. *Jour. Mar. Biol. U. K. Assoc.* 74: 265-275.
- Southward, E. C., V. Tunnicliffe, M. B. Black, D. Dixon and L. Dixon (1996): Ocean ridge segmentation and hot vent tubeworms in the northeast Pacific. *Tectonic*,

- Magmatic, Hydrothermal and Biological Segmentation of Mid-Ocean Ridges*, MacLeod, C. J., P. Tyler & C. L. Walker (eds). Geological Society Special Publication No. 118, pp. 211-224.
- Southward, E. C., V. Tunnicliffe, and M. Black (1995): Revision of the species of *Ridgeia* from northeast Pacific hydrothermal vents, with a redescription of *Ridgeia piscesae*. (Pogonophora: Obturata = Vestimentifera. *Can. Jour. Zool.*, 73: 282-295.
- Sprtel, F. M., R. L. Nielsen, and D. M. Christie: Petrogenesis of intrabasin volcanics from the East Blanco Depression, College of Oceanic and Atmospheric Sciences: Oregon State Univ., Corvallis, OR.
- Stakes, D., and P. Schiffman, (1999): Hydrothermal alteration of the Middle Valley sill complexes and basement rocks. *Bull. Geol. Soc. Am.*, 111: 1294-1314.
- Stakes, D., and J. Franklin, (1994): Petrology of igneous rocks at Middle Valley, Juan de Fuca Ridge, M. J. Mottl, E. E. Davis, J. F. Slack, et. al., Proc. ODP, Sci. Results, 139: College Station, TX (Ocean Drilling Program), 79-102.
- Stakes, D. S., W. S. Moore, T. T. Tengdin, G. L. Holloway, M. K. Tivey, M. Hannington, J. M. Edmond, and J. Todd (1992): Cores drilled through walls of active smokers in Juan de Fuca Ridge. *EOS, Trans. Amer. Geophys. Un.*, 3: 273-283.
- Stakes, D. S., and W. S. Moore (1991): Evolution of hydrothermal activity on the Endeavour-Juan de Fuca Ridges: observations, mineral ages, and Raisotope ratios. *J. Geophys. Res.*, 96: 21739- 21752.
- Stein, J., A. Fisher, M. Langseth, W. Jin, G. Iturrino, and E. Davis: Fine-scale heat flow, shallow heat sources and decoupled circulation systems at two seafloor hydrothermal sites, Middle Valley, northern Juan de Fuca Ridge. *Geology*, 26 (12): 1115-1118.
- Stevenson, J. M., J. A. Hildebrand, et al. (1994): An ocean bottom gravity study of the southern Juan de Fuca Ridge. *J. Geophys. Res.*, 99: 4875-4888.
- Straube, W. L., J. W. Deming, C. C. Somerville, R. R. Colwell and J. A. Baross. (1990) Particulate DNA in smoker fluids: Evidence for existence of microbial populations in hot hydrothermal systems. *Appl. Environ. Microbiol.* 56: 1440-1447
- Summit, M. and J. Baross (2001) A novel microbial habitat in the mid-ocean ridge subsurface. *Proc. Natl. Acad. Sci., USA* (in press)
- Summit, M., and J. A. Baross (1998): Thermophilic subseafloor microorganisms from the 1996 North Gorda Ridge eruption. *Deep-Sea Research, Part II*, 45: 2751-2766.
- Summit, M., A. Peacock, D. Ringelberg, D. C. White, and J. A. Baross (in press) Microbial biomass and community composition in hot, hydrothermally influenced sediments from Middle Valley, Juan de Fuca Ridge. *Proc. ODP Sci. Results Leg 169*,
- Summit, M., B. Scott, K. Nielson, E. Mathur and J. Baross. (1998) Pressure enhances thermal stability of DNA polymerase from three thermophilic organisms. *Extremophiles* 2:339-345.
- Summit, M., A. Peacock, D. Ringelberg, D. C. White, and J. A. Baross: Microbial biomass and community composition in hot, hydrothermally influenced sediments from Middle Valley, Juan de Fuca Ridge. *Proc. ODP Sci. Results Leg 169*, in press.
- Summit, M., and J. A. Baross (1998): Thermophilic subseafloor microorganisms from the 1996 North Gorda Ridge eruption. *Deep-Sea Res., Part II*, 45: 2751-2766.
- Thomson, R. E., E. E. Davis, and B. J. Burd (1995): Hydrothermal venting and geothermal heating in Cascadia Basin. *J. Geophys. Res.*, 100: 6121-6141.
- Thomson, R. E., E. E. Davis, et al. (1995): Hydrothermal venting and geothermal heating

- in Cascadia basin. *J. Geophys. Res.*, 100: 6121-6141.
- Thomson, R. E., J. R. Delaney, R. E. McDuff, D. R. Janecky, and J. S. McClain (1992): Physical characteristics of the Endeavour Ridge hydrothermal plume during July 1988, *Earth Planet. Sci. Lett.*, 111: 141-154.
- Thomson, R. E., B. J. Burd, A. G. Dolling, R. L. Gordon, and G. S. Jamieson (1992): The deep scattering layer associated with the Endeavour Ridge hydrothermal plume. *Deep-Sea Res.*, 39: 55- 73.
- Thomson, R. E., R. L. Gordon, and J. Dymond (1989): Acoustic doppler current profiler observations of a mid-ocean ridge hydrothermal plume. *J. Geophys. Res.*, 94: 4709-4720.
- Tivey et al., (2000) The RIDGE Endeavour segment seafloor observatory: Recent successes and overview of coordinated experiments for Y2K, RIDGE Events, June, 2000.
- Tivey, M. A., H. P. Johnson, A. Bradley, and D. Yoerger (1998): Thickness measurements of submarine lava flows determined from near-bottom magnetic field mapping by autonomous underwater vehicle. *Geophys. Res. Lett.*, 25: 805-808.
- Tivey, M. A., H. P. Johnson, and BLANCOVIN Scientific Party (1998): Direct measurement of magnetic reversal polarity boundaries in a cross-section of oceanic crust. *Geophys. Res. Lett.*, 25: 3631-3634.
- Tivey, M. A. (1996): The vertical magnetic structure of ocean crust determined from near-bottom magnetic field measurements. *J. Geophys. Res.*, 101: 20,275-20,296.
- Tivey, M. A., and H. P. Johnson (1995): Alvin magnetic survey of zero-age crust: Coaxial segment eruption, Juan de Fuca Ridge 1993. *Geophys. Res. Lett.*, 22: 171-174.
- Tivey, M. A. (1994): High-resolution magnetic surveys over the Middle Valley mounds, Northern Juan de Fuca Ridge. *Proc. ODP, Scientific Results*, 139: 29-35.
- Tivey, M. A. (1994): The fine-scale magnetic anomaly field over the Southern Juan de Fuca Ridge: The axial magnetic low and implications for crustal structure. *J. Geophys. Res.*, Special issue on Southern Juan de Fuca Ridge, 99: 4833-4855.
- Tivey, M. A., and H. P. Johnson (1993): Variations in oceanic crustal structure and the implications for the fine-scale magnetic anomaly signal. *Geophys. Res. Lett.*, 20(17): 1879-1882.
- Tivey, M. A., and H. P. Johnson (1990): The magnetic structure of Axial Seamount, Juan de Fuca Ridge. *J. Geophys. Res.*, 95: 12735-12752.
- Tivey, M. A., and H. P. Johnson (1989): High resolution geophysical studies of oceanic hydrothermal systems, *CRC Critical Reviews in Aquatic Science*, 1, 3, 473-496.
- Tivey, M. A., and H. P. Johnson (1987): The Central Anomaly Magnetic High: Implications for Ocean Crust Construction and Evolution. *J. Geophys. Res.*, 92: 12,685-12,694.
- Tivey, M. K., D. S. Stakes, T. L. Cook, M. D. Hannington, and S. Petersen (1999): Petrology and geochemistry of massive sulfide samples from the Endeavour segment of the Juan de Fuca Ridge. *J. Geophys. Res.*, 104: 22,859-22,883.
- Tivey, M. K., D. S. Stakes, T. L. Cook, M. D. Hannington, and S. Petersen (1999): A model for growth of steep-sided vent structures on the Endeavour Segment of the Juan de Fuca Ridge: Results of a petrologic and geochemical study. *J. Geophys. Res.* 104: 2285.

- Tivey, M. K. (1995): Modeling chimney growth and associated fluid flow at seafloor hydrothermal vent sites, in *Seafloor Hydrothermal Systems: Physical, Chemical, Biological, and Geological Interactions*, Geophys. Monogr. Ser., vol. 91, edited by S. Humphris, R. Zierenberg, L.S. Mullineaux, and R. Thomson, pp. 158-177, AGU, Washington D.C., 1995.
- Tivey, M. K., L. O. Olson, V. W. Miller, and R. D. Light (1990): Temperature measurements during initiation and growth of a black smoker chimney. *Nature*, 346: 51-54.
- Tivey, M. K. and J. R. Delaney (1986): Growth of large sulfide structures on the Endeavour Segment of the Juan de Fuca Ridge. *Earth Planet. Sci. Lett.* 77:303-317.
- Tivey, M. K., and J. R. Delaney (1985): Sulfide deposits from the Endeavour Segment of the Juan de Fuca Ridge. *Marine Mining*, 5:165-179.
- Tolstoy, M., S. Constable, J. A. Orcutt, H. Staudigel, and F. K. Wyatt (1998): Short and long baseline tiltmeter measurements on Axial Seamount. *Phys. Earth Planet. Sci.*, 108: 131-143.
- Trefry, J. H., D. Butterfield, S. Metz, G. J. Massoth, R. P. Trocine, and R. A. Feely (1994): Trace metals in hydrothermal solutions from Cleft segment on the southern Juan de Fuca Ridge. *J. Geophys. Res.*, 99: 4925-4950.
- Trivett, D.A. and A.J. Williams III (1994): Effluent from diffuse hydrothermal venting 2. Measurement of plumes from diffuse hydrothermal vents at the southern Juan de Fuca Ridge. *J. Geophys. Res.* (99)C9: 18,417-18-432.
- Tsurumi, M. (1998): Documenting temporal change at Cleft Segment, Juan de Fuca Ridge, using GIS. *Cah. Biol. Mar.*, 39: 263-267.
- Tunnicliffe, V., A. G. McArthur, and D. McHugh (1998): A biogeographical perspective of the deep-sea hydrothermal vent fauna. *Advances in Marine Biology*, 34: 355-442.
- Tunnicliffe, V., R. W. Embley, J. F. Holden, D. A. Butterfield, G. Massoth and S. K. Juniper (1997): Biological colonization of new hydrothermal vents following an eruption on Juan de Fuca Ridge. *Deep-Sea Res.*, 44: 1627-1644.
- Tunnicliffe, V., C. M. R. Fowler, and A. McArthur (1997): Plate tectonic history and hot vent biogeography, in tectonic, magmatic, hydrothermal and biological segmentation of mid-ocean ridges, MacLeod, C. J., P. Tyler & C.L. Walker (eds). *Geological Society Special Publication No. 118*, pp. 225-238.
- Tunnicliffe, V., D. Desbruyeres, D. Jollivet, and L. Laubier (1993): Systematic and ecological characteristics of a new polychaete (Family Alvinellidae) from northeast Pacific hydrothermal vents: *Paralvinella sulficola* Desbruyeres & Laubier. *Can. Jour. Zool.*, 71: 286-297.
- Tunnicliffe, V. (1990): Observations on the effects of sampling on the hydrothermal habitat and fauna. *J. Geophys. Res.*, 95: 12961-12966.
- Tunnicliffe, V., J. F. Garrett, and H. P. Johnson (1990): Factors affecting the mortality and behaviour of hydrothermal vent tube-worms (vestimentiferans). *Deep-Sea Res.*, 37: 103-125.
- Tunnicliffe, V., and S. K. Juniper (1990): Dynamic character of the hydrothermal vent habitat and the nature of sulphide chimney fauna. *Progress in Oceanogr.*, 24: 1-13.
- Tunnicliffe, V. (1988): Biogeography and evolution of hydrothermal vent fauna in the eastern Pacific Ocean. *Proc. Roy. Soc. Lond., Ser.B.*, 233: 347-366.
- Tunnicliffe, V., and A. R. Fontaine (1987): Faunal composition and organic surface

- encrustations at hydrothermal vents on the southern Juan de Fuca Ridge. *J. Geophys. Res.* 92: 11303-11314.
- Tunnicliffe, V., and R. G. Jensen (1987): Distribution and behaviour of the spider crab *Macroregonia macrochira* Sakai around the hydrothermal vents of the northeast Pacific. *Can. Jour. Zool.*, 65:2442-2449.
- Tunnicliffe, V., M. Botros, M. E. de Burgh, A. Dinert, H. P. Johnson, S. K. Juniper, and R. E. McDuff (1986): Hydrothermal vents of Explorer Ridge, northeast Pacific. *Deep-Sea Res.*, 33: 401-412.
- Tunnicliffe, V., S. K. Juniper, and M. E. de Burgh (1985): The hydrothermal vent community on Axial Seamount, Juan de Fuca Ridge. IN M. Jones (ed.) *The Hydrothermal Vents of the Eastern Pacific Ocean: An Overview. Bull. Biol. Soc. Wash.*, 6: 453-464.
- U.S.G.S. Juan de Fuca Study Group (1986): Submarine fissure eruptions and hydrothermal vents on the southern Juan de Fuca Ridge: Preliminary observations from the submersible Alvin. *Geology*, 14: 823-827.
- Urcuyo, I. A., G. Massoth, I. R. MacDonald, and C. R. Fisher (1998): *In-situ* growth of the vestimentifera *Ridgeia piscesae* living in highly diffuse flow environments in the main Endeavour Segment of the Juan de Fuca Ridge. *Cah. Biol. Mar.*, 39: 267-270.
- Vallier, T. L., P. J. Harold, and W. A. Girdley (1973): Provenances and dispersal patterns of turbidite sand in Escanaba Trough, northeastern Pacific Ocean. *Mar. Geol.*, 15: 67-87.
- Van Wagoner, N. A., M. I. Leybourne, T. H. Pearce, and C. E. Timms (1995): Comparison of petrogenetic processes between the West Valley segment of the Juan de Fuca Ridge and adjacent Heck Seamount Chain: Detailed electron microscope and Nomarski interference imaging of plagioclase, *J. Min. Assoc. Can.* 33 (3).
- Van Wagoner, N. A., and M. I. Leybourne (1991): Evidence for magma mixing and a heterogeneous mantle on the West Valley segment of the Juan de Fuca Ridge. *J. Geophys. Res.*, 96(B10): 16295-16318.
- Veirs, S.R., R.E. McDuff, M.D. Lilley, and J.R. Delaney (1999): Locating hydrothermal vents by detecting buoyant, advected plumes. *J Geophys. Res.* (104)B12: 29,239-29,247.
- Vine, F. J., and J. T. Wilson (1965): Magnetic anomalies over a young oceanic ridge off Vancouver Island. *Science*, 150: 485-489.
- Vogt, P. R., and G. R. Byerly (1976): Magnetic anomalies and basalt composition in the Juan de Fuca-Gorda Ridge area. *Earth Planet.Sci. Lett.*, 33: 185-207.
- Von Damm, K. L. (1995): Controls on the chemistry and temporal variability of seafloor hydrothermal fluids, in *Seafloor Hydrothermal Systems: Physical, Chemical, Biological, and Geological Interactions, Geophys.Monog. Ser.*, vol. 91, edited by S. Humphris, R. Zierenberg, L.S. Mullineaux, and R. Thomson, pp. 222-247, AGU, Washington D.C.
- Von Damm, K.L. (1988) Systematics and postulated controls on submarine hydrothermal solution chemistry, *J. Geophys. Res.*, 93, 4551-4661.
- Von Damm, K. L., and J. L. Bischoff (1987): Chemistry of hydrothermal solutions from the southern Juan de Fuca Ridge. *J. Geophys.Res.*, 92: 11,334-11,346.
- Vrijenhoek, R., S. J. Schutz, R. G. Gustafson, and R. A. Lutz (1994): Cryptic species of deep-sea clams (Mollusca, Bivalvia, Vesicomidae) in hydrothermal vent and cold-

- water seep environments. *Deep-Sea Res.*, 41: 1171-1189.
- Wakeham, S. E. (1977): Petrochemical patterns in young pillow basalts dredged from the Juan de Fuca and Gorda Ridges, MSc Dissertation, Oregon State Univ.
- Walker, S.L., and E.T. Baker (1988): Particle size distributions within hydrothermal plumes over the Juan de Fuca Ridge. *Mar. Geol.* 78: 217-226.
- Wang, C. L., P. C. Michels, S. C. Dawson, S. Kitisakkul, J. A. Baross, J. D. Keasling and D. S. Clark. (1997) Cadmium removal by a new strain of *Pseudomonas aeruginosa* in aerobic culture. *Appl. Environ. Microbiol.* 63:4075-4078.
- Wang, K., G. Van der Kamp, and E. E. Davis (1999): Limits of tidal energy dissipation by fluid flow in subsea formations. *Geophys. Jour. Inter.*, 139: 763-768.
- Wang, K., E. E. Davis, and G. Van der Kamp (1998): Theory for the effects of free gas in subsea formations on tidal pore pressure variations and seafloor displacements. *J. Geophys. Res.*, 103: 12,339-12,353.
- Wang, K., J. He, and E. E. Davis (1997): Influence of basement topography on hydrothermal circulation in sediment-buried igneous oceanic crust. *Earth Planet. Sci. Lett.*, 146: 151-164.
- Wang, K., J. He, and E. E. Davis (1997): Transform push, oblique subduction resistance, and intraplate stress of the Juan de Fuca plate. *J. Geophys. Res.*, 102: 661-664.
- Wang, K., and E. E. Davis (1996): Theory for the propagation of tidally induced pore pressure variations in layered subseafloor formations. *J. Geophys. Res.*, 101: 11483-11495.
- Wang, K., and E. E. Davis (1992): Thermal effects of marine sedimentation in hydrothermally active areas. *Geophys. Jour.*, 110:70-78.
- Waren, A., and P. Bouchet (1993): New gastropods from hydrothermal vents and hydrocarbon seeps in the Caribbean, Atlantic and Pacific. *Zoologica Scripta*, 22: 1-90.
- Wetzler, M. A., J. W. Lavelle, G. A. Cannon, and E. T. Baker (1998): Variability of temperature and currents measured near Pipe Organ hydrothermal vent site, *Mar. Geophys. Res.*, 20, 505-516.
- Wheat, C. G., and M. J. Mottl (2000): Composition of pore and spring waters from Baby Bare: Global implications of geochemical fluxes from a ridge flank hydrothermal system. *Geochim. Cosmochim. Acta.*, 64(4): 629-642.
- Wheat, C. G., H. Elderfield, M. J. Mottl, and C. Monnin (2000): Chemical composition of basement fluids within an oceanic ridge flank: Implications for along-strike and across-strike hydrothermal circulation. *J. Geophys. Res.*, in press.
- Wheat, C.G., M.J. Mottl, E.T. Baker, R.A. Feely, J.E. Lupton, F.J. Sansone, J.A. Resing, G.T. Lebon, and N.C. Becker (1997): Chemical plumes from low-temperature hydrothermal venting on the eastern flank of the Juan de Fuca Ridge. *J. Geophys. Res.*, 102(B7), 15,433-15,446.
- Wheat, C. G., R. A. Feely, and M. J. Mottl (1996): Phosphate removal by oceanic hydrothermal processes: An update of the phosphate budget of the oceans. *Geochim. Cosmochim. Acta.*, 60: 3593-3608.
- Wheat, C. G., and M. J. Mottl (1994): Hydrothermal circulation, Juan de Fuca Ridge eastern flank: Factors controlling basement water composition. *J. Geophys. Res.*, 99: 3067-3080.
- White, D. J., and R. M. Clowes (1990): Seismic attenuation structure beneath the Juan de

- Fuca ridge from topographic inversion of amplitudes. *J. Geophys. Res.*, 99: 3043-3056.
- White, D. J., and R. M. Clowes (1990): Shallow crustal structure beneath the Juan de Fuca Ridge from 2-D seismic refraction topography. *Geophys. J. Int.*, 100: 349-367.
- White, S. N., A. D. Chave, G. T. Reynolds, E. J. Gaidos, J. A. Tyson, and C. L. Van Dover (2000): Variations in ambient light emission from black smokers and flange pools on the Juan de Fuca Ridge. *Geophys. Res. Lett.*, in press.
- Wilcock, W.S.D. and A. McNabb (1996): Estimates of crustal permeability on the Endeavour segment of the Juan de Fuca mid-ocean ridge. *Earth Planet. Sci. Lett.* (138), 83-91.
- Wilcock, W. S. and J. R. Delaney (1996): Mid-ocean ridge sulfide deposits: Evidence for heat extraction from magma chambers or cracking fronts. *Earth Planet. Sc. Lett.*, 145: 49-64.
- Williams, N. A., D. R. Dixon, E. C. Southward and P. W. Holland (1993): Molecular evolution and diversification of the vestimentiferan tube worms. *J. Mar. Biol. Ass. U.K.* 73: 437-452.
- Wilson, D. S. (1993): Confidence intervals for motion and deformation of the Juan de Fuca plate. *J. Geophys. Res.*, 98: 16053-16071.
- Wilson, D. S. (1990): Kinematics of overlapping rift propagation with cyclic rift failure. *Earth Planet. Sci. Lett.*, 96: 384-392.
- Wilson, D. S. (1989): Deformation of the so-called Gorda plate. *J. Geophys. Res.*, 94: 3065-3075.
- Wilson, D. S., D. A. Clague, N. H. Sleep, and J. L. Morton (1988): A model for narrow, steady-state magma chambers on fast spreading ridges. *J. Geophys. Res.*, 93: 11974-11984.
- Wilson, D. S. (1988): Tectonic history of the Juan de Fuca ridge over the last 40 million years. *J. Geophys. Res.*, 93: 11,863-11,876.
- Wilson, D. S. (1986): A kinematic model for the Gorda deformation zone as a diffuse southern boundary of the Juan de Fuca plate. *J. Geophys. Res.*, 91: 10,259-10,269.
- Wilson, D. S., R. N. Hey, and C. Nishimura (1984): Propagation as a mechanism of reorientation of the Juan de Fuca Ridge. *J. Geophys. Res.*, 89: 9215-9226.
- Winn, C.D., D.M. Karl, and G.J. Massoth (1986): Microorganisms in deep-sea hydrothermal plumes. *Nature* (320)6064: 744-746.
- Winn, C. D., J. P. Cowen, and D. M. Karl (1995): Microbiology of hydrothermal plumes. chapter in *Microbiology of Deep-Sea Hydrothermal Vent Habitats*, ed. D. M. Karl, CRC Press, Boca Raton, pp. 255- 273.
- Winn, C. D., D. M. Karl and G. J. Massoth. 1986. Microorganisms in deep-sea hydrothermal plumes. *Nature* 320:744-746.
- Yoerger, D.R., D.S. Kelley, and J.R. Delaney, 2000 Fine-Scale Three Dimensional Mapping of a Deep-Sea Hydrothermal Vent Site using the Jason ROV System, *J. International Robotics*, 19, 1000-1014.
- Yoerger, D., A. Bradley, R. Bachmayer, R. Catanach, A. Duester, S. Liberatore, H. Singh, B. Walden, and M. A. Tivey (1996): Near-bottom magnetic surveys of the Coaxial Ridge segment using the Autonomous Benthic Explorer survey vehicle. *RIDGE Events*, 7: 5-9.
- Zierenberg, R.A., et al. (1998): The deep structure of a sea-floor hydrothermal deposit. *Nature*, 392: 485-488.

- Zierenberg, R. A., and W. C. (1994): Shanks III, Sediment alteration associated with massive sulfide formation in Escanaba Trough, Gorda Ridge: The importance of seawater mixing and magnesium metasomatism. *US Geological Survey Bulletin*, 2022: 257-278.
- Zierenberg, R. A., J. L. Morton, R. A. Koski, and S. L. Ross (1994): Geologic setting of massive sulfide mineralization in Escanaba Trough. *US Geological Survey Bulletin*, 2022: 171-197.
- Zühlsdorff, L., V. Spiess, C. Huebscher, and M. Breitzke (1999): Seismic reflectivity anomalies in sediments a the eastern flank of the Juan de Fuca Ridge - Evidence for fluid migration? *J. Geophys. Res.*,104: 15,351-15,364.