



R/V Marcus G. Langseth - Acoustic Offsets



Source acoustic offsets are referenced to COS on individual gun string



- G1T1 -8.2m
- G2T1 -8.2m
- G3T1 -8.2m
- G4T1 -8.2m

Streamer acoustic offsets are referenced to CNG on individual streamer

CNG



- S1T1 -17.0m
- S1T2 -167.3m
- S1T1-S1T2 150.3m


Head of first section to Tail buoy
12800.0m

- S1T3 -7820.9m
- S1T4 -7970.6m
- S1T3-S1T4 149.7m
- S1T4-S1T5 225.8m
- S1T5 -1.0m

Tailbuoy acoustics referenced to RGPS pod

Cell contents referenced from Config_offsets tab

R/V Marcus G. Langseth - Gun Array Offsets



Gun volumes by number		
Gun	Volume	Status
Gun 1	360 cu. in.	Primary
Gun 2	360 cu. in.	Primary
Gun 3	40 cu. in.	Primary & Mitigation
Gun 4	180 cu. in.	Primary
Gun 5	180 cu. in.	Spare
Gun 6	90 cu. in.	Primary
Gun 7	120 cu. in.	Primary
Gun 8	60 cu. in.	Primary
Gun 9	220 cu. in.	Primary
Gun 10	220 cu. in.	Primary

Array total volume (without spares) is 6600 cu. in.
 Guns (1 & 2) in a horizontal cluster, (5 & 6) and (9 & 10) in a vertical cluster
 Gun clusters have 0.75m between guns and hang 0.95m from center of hanger

Total volume/string (without spare) 1650 cu. in.
 Horizontal Clusters are 1m from gun port to gun port
 Single guns hang from hanger 1.15m




All gun volumes, numbering, locations, and offsets were inspected and verified by Chief Source Mechanic.

All measurements in meters
 NOTE: drawing not to scale

Cell contents referenced from Config_offsets tab

R/V Marcus G. Langseth - Hydrophone Offsets
Sercel 150meter SSAS

Number of SSAS Sections 84
Channels per active section 12
Total channels 1008



Cell contents referenced from Config_offsets tab

Company: L-DEO - Lamont - Doherty Earth Observatory
Vessel: Marcus G. Langseth
Client: Reece - Texas A&M / NSF

Project: MGL1601
Area: South Atlantic Ocean
Start Date: 3-Jan-16

Vessel Sensor Offsets

Towing Offsets

Towing Configuration

Acoustic Overhead

Gun Array Offsets

Streamer Front End

Streamer Tail End

Streamer Complete

Hydrophone Offsets


Tailbuoy Offsets

Timing



R/V Marcus G. Langseth - Streamer Complete

Total active sections	84
Total Channels	1008
Total section length	12600.00m
First to last channel	12587.50m



Cell contents referenced from Config_offsets tab

R/V Marcus G. Langseth - Streamer Front End

Total active sections	84
Total Channels	1008
Total section length	12600.00m
First to last channel	12587.50m

First Active Section # 1

Lead-in:

Stern to Towpoint at Sea
333.00m

Tow Point
at Sea
12.50m

SHS
6.0m

RVIM Head Stretch
17.50m

SHS
6.0m

HAU
0.40m

HESA
10.00m

Head of HESA to Aft Coil
6.45m

Head of Section to Front Coil
24.22m

Fwd Coil to CNG
16.42m

Head of Section to CNG
7.80m

CNG
Channel # 1

Fwd Coil to Aft Coil
100.00m

Tail of Section to Aft Coil
25.78m

-0.20m


Cell contents referenced from Config_offsets tab

R/V Marcus G. Langseth - Streamer Tail End

Total active sections	84
Total Channels	1008
Total section length	12600.00m
First to last channel	12587.50m
CFG to TB RGPS	206.95m


Last Active Section # 84

Tail Buoy



Cell contents referenced from Config_offsets tab


R/V Marcus G. Langseth - Tailbuoy



All measurements in meters

Cell contents referenced from Config_offsets tab


R/V Marcus G. Langseth - System Timing Diagram



R/V Marcus G. Langseth - Towing Configuration

	# Streamers	Length	Channels	Spacing
SEAL	1	12600	1008	12.5m


# Gun Strings Used	4	Vol (in^3)	6600
--------------------	---	------------	------



NOT to Scale

Cell contents referenced from Config_offsets tab

R/V Marcus G. Langseth - Towing Offsets




NRP	Nav Reference Point
COS	Centre of Source
CNG	Centre of Near Group
CMP	Common Mid-Point
MSL	Mean Sea Level
NRP-Stern	29.5m
NRP-COS	205.0m

All measurements in meters


Cell contents referenced from Config_offsets tab

R/V Marcus G. Langseth - Vessel Sensor Offsets



Negative values are above water line

All measurements in meters



		STBD/PORT (X)	FORE/AFT (Y)	UP/DOWN (Z)
NRP	NAVIGATION REFERENCE POINT	0.00	0.00	0.00
V1G1	C-Nav 3050	0.00	0.00	-16.90
V1G2	SeaPath 200	0.00	1.50	-16.90
V1G3	C-Nav 2000	-2.10	-29.20	-14.50
V1G4	Pos MV	-1.30	1.20	-16.90
V1R1	PosNet	-1.30	0.00	-16.90
Sonar Pod	EM122 Knudsen ADCP	0.00	20.20	7.49
	EM122 Center Beam offset (in Spectra)	0/00	13.4	7.49
MRU	Seapath MRU	2.30	14.16	-4.30
BGM	Bell Gravity Meter	0.00	-13.10	1.10

Note: All Echosounders are used in Spectra with 6.6m ship's draft correction applied.