

DEMUX LOG FOR CRUISE IG-24-2

PAGE 1 OF 2

LINE CR-1

DATE _____

Rec Len 14

OUTPUT TAPE NO.	FIELD TAPE NO.	RECORD NO. (OCTAL)		RECORD NO. (DEC)		ERRORS			W ERR	STRIP CK	COMMENTS
		START	STOP	START	STOP	SY	ST	OS			
800848	242001	2	127	2	87	0	1	0			
"	242002	133	257	91	175	2	2	3	6	✓	
800849	242003	263	412	179	256						
"	004	416	541	270	353						
800850	005	545	671	357	441						
"	006	674	1015	444	525						
800851	242007	1023	1147	531	515						
"	008	1155	1302	621	706						
* 800852	009	1311	1452	713	810						BAD TAPE
"	010	1732	2073	986	1085						
800853	242011	2100	2223	1088	1170						
"	012	2230	2354	1176	1260						
800854	013	2360	2502	1264	1346						
	014	2507	2632	1351	1434						
800855	242015	2640	2765	1440	1525						
"	016	2773	3117	1531	1615						
800856	017	3122	3245	1618	1701						
"	018	3255	3407	1709	1799						BAD TAPE?
800857	242019	3412	3533	1802	1883						
"	020	3535	3660	1885	1968						
800858	021	3661	4003	1969	2050						
	242-022	4004(?)	4131	2052	2137						

~~SYNCH~~

ST = SHORTEN

OS = OUT OF SEQUENCE

DEMUX LOG FOR CRUISE IG-24-2

LINE CR-1,2

PAGE 2 OF 2

DATE 5/26/77

Run 41EN 14

OUTPUT TAPE No.	FIELD TAPE No.	RECORD No. (OCTAL)		RECORD No (DEC)		ERRORS			W Err	STRIP CK	COMMENTS
		START	STOP	START	STOP	SY	ST	OS			
800859	242023	4132 (?)	4330	2138	2264	3	3	1			126
"	024	4331	4456	2265	2350	2	4	2	11	✓	85
800860	025	4457	4604	2351	2436	0	1	0			85
"	242026	4621	4744	2449	2532	0	1	3	4	✓	83
800861	027	4751	5077	2537	2623	4	4	3			86
"	028	5105	5230	2629	2712	1	3	4	1	✓	83
800862	242029	5237	5361	2719	2802	1	1	3			82
"	030	5366	5515	2806	2893	0	4	4	722	?	87 Strip is bad
800863	031	5524	5645	2900	2981	0	1	0			0MM Parity error ST-001
"	242032	5652	6002	2986	3074	3	3	4	1	✓	
800864	033	6005	6132	3077	3162	1	1	4			
"	034	6137	6260	3167	3248	0	0	5	0	✓	
800865	242035	6267	6411	3255	3337	1	1	1			82
"	036	6415	6544	3341	3428	8	5	5	1	✓	87
800866	037	6553	6700	3435	3520	4	4	0			85
"	242038	6705	7032	3525	3610	1	3	3	172	✓	85
800867	242039	0001	0125	0001	085	1	1	0			end CR-1
"	040	0126	0251	086	0169	1	1	2	10	✓	begin CR-2A
800868	041	0252	0431	170	0281	3	3	3			111
"	242042	0432	0556	282	366	0	0	0	0	✓	84
800869	043	0557	1400	367	576	16	16	8	633	✓	
800870	242044	2631	2751	1433	1513	5	6	2			begin CR-2B

~~ST = START~~

ST = START

OS = OUT OF SEQUE

DEMUX LOG FOR CRUISE TB-24-2

PAGE 3 OF 5

LINE CR-2B

DATE 5/26/77

Rec Jan 14

OUTPUT TAPE No.	FIELD TAPE No.	RECORD No. (OCT)		RECORD No. (DEC)		ERRORS			W ERR	STRIP CK	COMMENTS
		START	STOP	START	STOP	SY	ST	OS			
800870	242045	2752	3075	1514	1597	1	1	1	3	✓	83
800871	046	3076	3220	1598	1680	1	1	0			82
"	047	3226	3352	1686	1770	0	0	1	16	✓	84
800872	242048	3353	3503	1771	1859	8	8	2			88
"	049	3504	3631	1860	1945	3	5	2	23	✓	85
800873	050	3632	3755	1946	2029	2	2	1			83
"	242051	3756	4101	2030	2113	0	0	2	4	✓	83
800874	052	4102	4224	2114	2196	3	3	1			82
"	053	4232	4355	2202	2285	1	1	2	2	✓	83
800875	242054	4363	4516	2290	2382	8	8	1			92
"	055	4527	4647	2391	2471	3	3	0	1	✓	80
800876	056	4657	5002	2479	2562	2	2	1			83
"	242057	5007	5131	2567	2649	5	5	1	2	✓	82
800877	058	5137	5262	2655	2738	1	2	0			82
"	059	5270	5414	2744	2828	4	4	0	5	✓	84
800878	242060	5427	5553	2839	2923	1	1	1			84
"	061	5566	5711	2934	3018	0	1	0	3	✓	84
800879	062	5716	6042	3022	3106	0	1	0			84
"	242063	6046	6172	3110	3194	5	6	0	4	✓	84
800880	064	6205	6316	3205	3278	3	3	0			dirty field tape 73
"	242065	6337	6463	3295	3379	1	2	0	8	✓	84
800881	066	6473	6624	3387	3473	1	2	1			86

SYNCH

ST - START

OS - OUT OF SEQUENCE

DEMUX LOG FOR CRUISE IG-24-2

LINE CR-2B

PAGE 4 OF 5

DATE 5/26/77

Rec Len 14

OUTPUT TAPE NO.	FIELD TAPE NO.	RECORD NO. (OCT)		RECORD NO. (DEC)		ERRORS			(W) ERR	STRIP CK	COMMENTS
		START	STOP	START	STOP	SY	ST	OS			
800881	242067	6627	6727	3479	3543	1	1	2		✓	
800882	068	6735	7060	3549	3632	2	2	0			
"	069	7070	7214	3646	3724	1	1	2		✓	
800883	242070	7215	7341	3725	3809	5	5	1			
"	071	7342	7466	3810	3894	2	4	3	1	✓	
800884	072	7475	7623	3901	3987	3	3	0			
"	242073	7632	7756	3994	4078	4	4	2		✓	
800885	074	7764	10107	4084	4167	1	1	0			
"	075	10116	10242	4174	4258	3	3	2	1	✓	
800886	242076	10247	10437	4263	4383	3	3	1			
"	077	10443	10567	4387	4471	5	5	1	1	✓	
800887	078	10573	10717	4475	4559	0	0	0			
"	242079	10723	11047	4563	4647	1	0	1		✓	
800888	080	11054	11177	4652	4735	0	0	0			
"	081	11204	11327	4740	4823	4	4	0	1	✓	
800889	242082	11336	11462	4830	4914	2	2	0			
"	083	11467	11614	4919	5004	3	5	2	3	✓	end line CR 2B
	084	0001	0101	002	101						START LINE CR-3
	242085	104	226	104	149						
	086	233	371	154	249						START LINE CR-3B
	087	377	540	255	352						

REC LEN 18

REC LEN 12

SYNCHRON

ST = START

OS = OUT OF SEQUENCE

DEMUX LOG FOR CRUISE IG 24-2

PAGE 6 OF 6

LINE CR-4

DATE 5/27/72

Rec Len 12

OUTPUT TAPE NO.	FIELD TAPE NO.	RECORD NO. (OCTAL)		RECORD NO. (DEC)		ERRORS			W ERR	STRIP CK	COMMENTS
		START	STOP	START	STOP	SY	ST	OS			
800933	109	1310	1451	712	809	2	3	1	12	✓	
800934	242110	1454	1615	812	909	3	3	0	0		
"	111	1620	1761	912	1009	2	2	2	1	✓	
800935	112	1765	2124	1013	1108	1	2	1	1		
"	113	2130	2271	1112	1209	0	1	2	0	✓	
800936	114	2275	2437	1213	1311	0	0	0	0		
"	242115	2442	2602	1314	1410	0	0	1	0	✓	
800937	116	2610	2752	1416	1514	2	2	0	0		
"	117	2760	3121	1520	1617	0	1	2	0	✓	
800938	118	3126	3271	1622	1721	0	1	0			
"	119	3275	3437	1725	1823	0	1	1	3	✓	
800939	242120	3444	3615	1828	1933	2	2	2			
"	121	3621	3756	1937	2030	2	2	0	1	✓	Low gain in middle? Guns firing irregularly.
800940	122	3762	4125	2034	2133	29	29	9			Bad Field Tape / Gun problems
"	123	4132	4306	2138	2246	0	1	2	0	✓	No usable data 242122
800941	124	4312	4454	2250	2348	0	0	1			
"	242125	4460	4621	2352	2449	0	1	0	11	✓	
800942	126	4626	4765	2454	2549	4	4	1			
"	127	4771	5132	2553	2650	1	2	0	6	✓	
800943	128	5137	5300	2655	2752	0	0	0			
"	129	5303	5452	2755	2858	1	2	2	1	✓	Bad Tape Not Finding Records

DEMUX LOG FOR CRUISE EG 24-2

LINE CR-4-CR5

PAGE 7 OF 7

DATE 5/27/77

Rec Len 12

OUTPUT TAPE NO.	FIELD TAPE NO.	RECORD NO. (OUT)		RECORD NO. (DEC)		ERRORS			W ERR	STRIP CK	COMMENTS
		START	STOP	START	STOP	SY	ST	OS			
800944	242130	5461	5620	2865	2961	1	1	0			
"	131	5624	5764	2964	3060	1	3	4	14	✓	
800945	132	5770	6131	3064	3161	5	5	0			
"	133	6136	6304	3166	3268	2	4	3	6	✓	
800946	134	6305	6444	3269	3364	2	2	0	8	✓	END CR-4
800529	242135	0001	0112	0001	0098	2	4	1			CR5
	136	0114	0307	0102	0199	3	3	0	3	✓	Noisy
800530	137	0310	0462	0210	0308	0	0	1			
	138	0467	0657	0318	0415	1	2	0		✓	OK
800531	139	0658	1002	0419	0514	0	0	0			
"	242140	1006	1150	0620	0616	0	3	1		✓	OK
800532	141	1151	1314	0620	0716	0	1	0			
"	142	1322	1462	0722	0819	0	2	0		✓	OK
800533	143	1410	1631	0824	0921	3	3	-			
"	144	1637	1787	0927	1023	2	4	2	5	✓	OK
800534	242145	2006	2185	1030	1125	1	1	-			
"	146	2185	2311	1129	1225	-	-	1		✓	OK
800535	147	2315	2466	1229	1326	-	1	-			
"	148	2467	2651	1335	1433	-	1	1		✓	OK
800536	149	2655	2775	1437	1533	-	-	-			
"	242150	3001	3170	1537	1656	5	5	1	1	✓	OK

CR-5

[illegible]

DEMUX LOG FOR CRUISE IG-24-2 LINE CR5

 PAGE 8 OF 8

 DATE 6/2/77

 Rec Jan 12

OUTPUT TAPE NO.	FIELD TAPE NO.	RECORD NO. (OCT)		RECORD NO. (DEC)		ERRORS			W ERR	STRIP CK	COMMENTS
		START	STOP	START	STOP	BY	ST	OS			
800537	242151	3175	3337	1661	1759	43	43	4			
"	152	3344	3505	1764	1861	90	91	3			
800538	153	3512	3657	1866	1967	13	14	4		✓	
"	154	3661	4003	1969	2051	-	1	1		✓	
800539	155	4007	4126	2055	2134	3	3	2			
"	156	4132	4272	2138	2234	3	3	1	?	✓	
800540	157	4277	4441	2239	2337	0	1	0			
"	158	4444	4604	2340	2436	1	2	0	?	✓	
800541	159	4614	4752	2444	2538	0	1	0			
"	242160	4754	5110	2540	2632	0	0	0	6	✓	
800542	161	5115	5236	2637	2718	0	0	0			
"	162	5244	5366	2727	2806	2	2	2	2	✓	
800543	163	5367	5674	2807	3004	7	7	1			
"	164	5603	5742	2947	3042	0	0	0	5	✓	
800544	242165	5743	6103	3044	3139	0	0	0			
"	166	6104	6243	3140	3235	0	0	0	0	✓	
800545	167	6247	6421	3239	3345	1	2	7			
"	168	6427	6573	3351	3451	1	2	2	6	✓	
800546	169	6602	6741	3458	3554	2	2	1			
"	242170	6750	7110	3560	3656	1	1	0	2	✓	
800547	171	7115	7357	3661	3807	1	2	7			
"											

36611

ST-54477

00-011-05130

DEMUX LOG FOR CRUISE IG: 24-2
LINE CR-5

PAGE 9 OF 9

DATE _____

[illegible]

DEMUX LOG FOR CRUISE IG 24-2

LINE CR-7 PAGE 1 of DATE 6/16/78

OUTPUT TAPE NO.	FIELD TAPE NO.	RECORD NO. (OCT)		RECORD NO. (DEC)		ERRORS			NO. BAD REC	STR CK.	REC. LEN.	COMMENTS
		START	STOP	START	STOP	SR	OS	WRE				
800482	242180	✓		134	227	1	1	0			14	
	181	✓		232	323	2	1	7			14	
800483	182	✓		326	419	1	1	0			14	
	183	✓		422	512	2	1	18		✓	14	
800484	184	✓		516	607	2	1	0			14	
	242185	✓		611	702	31	2	3			14	
800485	186	✓		706	797	2	0	0			14	
	187	✓		801	892	3	1	2			14	
800486	188	✓		897	989	0	0	0			14	
	189	✓		993	1088	0	2	4			14	
800487	242190	✓		1094	1184	1	0	0			14	
	191	✓		1188	1280	0	3	11			14	
800488	192	✓		1287	1377	3	0	0			14	
	193	✓		1381	1472	3	1	8			14	
800489	194	✓		1475	1566	0	0	0			14	
	242195	✓		1570	1661	1	1	1			14	
800490	196	✓		1664	1753	2	0	0			14	
	197	✓		1755	1847	2	1	4			14	
800491	198	✓		1851	1941	0	0	0			14	
	242199	✓		1944	2035	3	1	5			14	

OS = OUT OF SEQ. SR = SHORT REC. WRE = WRITE ERRORS

LINE CR-7

PAGE 2 of

DATE 6/19/78

[illegible]

OS = OUT OF SEQ. SR = SHORT REC. WRE = WRITE ERRORS

DEMUX LOG FOR CRUISE 14-24-2

LINE CP-7

PAGE 10 OF

DATE

OUTPUT TAPE NO.	FIELD TAPE NO.	RECORD No. (OCT)		RECORD No. (DEC)		ERRORS			W Err	STRIP CK	COMMENTS
		START	STOP	START	STOP	SY	ST	OS			
800494	242/92	2407	2541	1287	1377	1	1	0	1	✓	
800495	193	2545	2700	1381	1472	1	2	0	6	✓	
800496	194	2703	3036	1475	1566	2	2	0	11	✓	
800497	242/95	3042	3175	1570	1661	3	3	0	0	✓	
800498	196	3200	3331	1664	1753	2	3	0	4	✓	
800499	197	3334	3467	1755	1847	0	1	0	15	✓	
800500	198	3473	3625	1851	1941	0	1	0	10	✓	
800501	199	3630	3763	1944	2035	0	0	-	5	✓	

800482	242180	206	377	34	227	44	1	1	1	✓	CR-7
800483	181	350	503	232	323	00	1	29	1	✓	
800484	182	506	645	326	419	22	1	0	1	✓	
800485	183	646	1000	422	512	22	0	4	1	✓	
800486	184	1004	1137	516	607	22	1	1	1	✓	
800487	242185	1142	1276	611	702	22	0	0	1	✓	
800488	186	1302	1435	706	797	23	0	0	1	✓	
800489	187	1441	1574	701	892	00	0	3	1	✓	
800490	188	1601	1735	897	989	12	0	10	1	✓	
800491	189	1741	2100	993	1088	01	1	2	1	✓	
800492	242190	2106	2240	1094	1184	00	0	0	1	✓	
800493	191	2244	2400	1188	1280	22	3	6	1	✓	

CR-7

CR-7

800510	242200	3766	4121	2038	2129	2	3	0	3	✓	
800511	201	4127	4260	2135	2224	0	0	1	1	✓	
800512	202	4260	4420	2224	2320	1	1	0	7	✓	
800513	203	4423	4547	2727	2407	5	6	3	2	✓	
800514	204	4552	4671	2410	2489	0	0	0	12	✓	
800515	242205	4674	5021	2492	2577	4	5	2	0	✓	
800516	206	5024	5143	2580	2659	0	0	0	3	✓	
800517	207	5146	5264	2662	2740	0	0	0	7	✓	
800518	208	5270	5407	2744	2823	2	2	0	1	✓	
800519	209	5414	5535	2828	2909	2	3	0	5	✓	
800520	242210	5542	5663	2913	2995	0	1	0	4	✓	4.0 Grain at foot of box
800521	211	5665	6004	2933	3076	1	1	0	4	✓	
800522	212	6007	6127	3079	3159	1	1	0	7	✓	
800523	213	6132	6253	3162	3247	2	2	1	5	✓	