Company: L-DEO - Lamont - Doherty Earth Observatory
Vessel: Marcus G. Langseth
Client: New Mexico Tech/NSF

Project: MGL2514
Area: SW Mexico
Scope: Sequences 7-25
Start Date: 9-Dec-25

R/V Marcus G. Langseth - Vessel Sensor Offsets



Negative values are above water line

All measurements in meters



			STBD/PORT (X)	FORE/AFT (Y)	UP/DOWN (Z)
NRP	NAVIGATION REFERENCE POINT		0.00	0.00	0.00
V1G1	SeaPath 330	Orca	-1.24	-1.25	-16.78
V1G2	C-NavX3 MMO Tower	Orca	0.00	0.00	-16.90
V1G3	C-Nav3050 Stern	Orca	-1.95	-31.83	-14.50
V1G4	Pos MV	Orca	2.39	12.75	-16.90
	PosMV Output position is IMU mounted in stbd drylab				
V1R1	PosNet		-1.92	-0.02	-16.90
Sonar Pod	EM122 Knudsen ADCP		0.00	20.20	7.49
	EM122 Center Beam offset (in Spectra)		0.00	13.4	7.49
MRU	Seapath MRU		2.39	12.75	-4.30
BGM	Bell Gravity Meter		0.00	-13.10	1.10

R/V Marcus G. Langseth - Towing Offsets



NRP	Nav Reference Point
COS	Centre of Source
CNG	Centre of Near Group Trace # 1 Of S1
CMP	Common Mid-Point
MSL	Mean Sea Level
NRP-Stern	29.2m
NRP-COS	325.0m

All measurements in meters

Cell contents referenced from Config_offsets tab

R/V Marcus G. Langseth - Towing Configuration

	# Streamers	Length	Channels	Spacing
SEAL	1	4050	648	6.3m

# Gun Strings Used	1	Vol (in^3)	90

Mexico



NOT to Scale

Cell contents referenced from Config_offsets tab

R/V Marcus G. Langseth - Gun Array Offsets



Gun volumes by number		
Gun	Volume	Status
Gun 1	0 cu. in.	Primary
Gun 2	0 cu. in.	Primary
Gun 3	0 cu. in.	Primary & Mitigation
Gun 4	45 cu. in.	Primary
Gun 5	45 cu. in.	Primary
Gun 6	0 cu. in.	Primary
Gun 7	0 cu. in.	Primary
Gun 8	0 cu. in.	Primary
Gun 9	0 cu. in.	Primary

Array total volume (without spares) is 90 cu. in.

Total volume/string (without spare) 90 cu. in.

Guns (1 & 2) & (8 & 9) in a horizontal cluster.

Gun clusters have 0.75m between guns and hang 0.95m from center of hanger

Horizontal Clusters are 1m from gun port to gun port

Single guns hang from hanger 1.15m

All gun volumes, numbering, locations, and offsets were inspected and verified by Chief Source Mechanic.

All measurements in meters

NOTE: drawing not to scale

Cell contents referenced from Config_offsets tab

R/V Marcus G. Langseth - Gun Configuration

Mexico

Center of Source



Gun Clusters

Guns 1 & 2 horizontal array

Guns 8 & 9 horizontal array

Gun Offsets relative to Center of String

	X	Y
Gun 1	0.50m	8.23m
Gun 2	-0.50m	8.23m
Gun 3	0.00m	5.00m
Gun 4	0.00m	2.60m
Gun 5	0.00m	-2.46m
Gun 6	0.00m	-4.77m
Gun 7	0.50m	-7.77m
Gun 8	-0.50m	-7.77m
Gun 9	0.50m	8.23m

All measurements in meters

Distances in Meters

Gun Plate



Center of ports between guns 1 and 2 is the reference point



Hydrophone Offsets

Gun String 1				
Plate	Phone	Inline	Crossline	Depth
1				
2				
3				
4	1	8.25	0.00	1.10
5	2	10.68	0.00	1.10
6				
7				

Depth Transducer Offsets

Gun String 1				
Plate	DT	Inline	Crossline	Depth
1				
2				
3				
4	1	8.25	0.00	1.10
5	2	10.68	0.00	1.10
6				
7				

R/V Marcus G. Langseth - Streamer Front End



Total active sections	27
Total Channels	648
Total section length	4050.00m
First to last channel	4043.75m

First Active Section # 1

Cell contents referenced from Config_offsets tab

R/V Marcus G. Langseth - Streamer Tail End

Total active sections	27
Total Channels	648
Total section length	4050.00m
First to last channel	4043.75m
CFG to TB RGPS	71.95m



Cell contents referenced from Config_offsets tab

R/V Marcus G. Langseth - Tailbuoy



Job Specific	
NRP to COS Y	325
NRP to COS X	0
Source Depth	3
Streamer Depth	4
# streamer sections	27
# channels	648
CNG Channel #	1
CFG Channel #	648 Mexico
#MCS Streamers	1
lead-in: NRP to head float	387
MCS Streamer Sep.	0
Gun volume total	90
Volume per string	90
# of guns used	2
# Gun Strings	1
gun string separation	0
PAM Y from stern	110
PAM X - (outside of stern rail) PORT	3
Stern to MAG Y	110
Stern to MAG X - (outside of stern rail) STBD	3

Derived Offsets (formula)	
NRP to CMP	383.825
COS-CNG	117.65
CNG-CFG	-4043.75
NRP-Mag Y	139.2
NRP-Mag X	10.5
NRP to tail buoy RGPS	4627.141
Total Length of Streamer sections	4050
PAM-COS Y	185.8
PAM-COS X	10.5
NRP-PAM Y	139.2
NRP-PAM X	10.5
NRP-CNG	442.65
Soft to length, stem to bridle	17
Max RVM 17.5m-25m	20
LAUM 0.3386 x 14 modules	4.7404
SSCU 0.474 x (2 modules)	0.948
TAPU 0.4526	0.4526

Derived Offsets (formula)	
Towing Offsets Tab	
NRP-COS	325
NRP-CNG	442.65
NRP-CMP	383.825
COS-CNG	117.65
CNG Channel #	1
NRP-Stern	29.2
Distance from Head of first section to CNG	3.25
Source Depth	3
Streamer Depth	4
Front End Length	42.4
Head of lead-in to headfloat	10

Derived Offsets (formula)	
Towing Configuration TAB	
NRP-COS	325
NRP-CNG	442.65
COS-CNG	117.65
NRP-Pcable CNG	0
COS-Pcable CNG	4.7404
P-Cable Streamer Sep	0
NRP-PAM Y	139.2
NRP-PAM X	10.5
PAM-COS Y	185.8
PAM-COS X	10.5
# Gun Strings	1
gun volume	90
Gun separation	0
# 2D Streamers	1
2D Streamer Ch Spacing	6.25
Number 2D Channels	648
2D Streamer Length	4050
2D Streamer Sep	0
NRP-MAG X	10.5
NRP-MAG Y	139.2

Derived Offsets (formula)	
Acoustic Overhead TAB	
G1T1	0
G2T1	0
G3T1	0
G4T1	0
S1T1	0
S1T2	0
S1T3	0
S1T4	0
S1T5	0
S1T6	0
S1T7	0
S2T1	0
S2T2	0
S2T3	0
S2T4	0
S2T5	0
S2T6	0
S2T7	0
S3T1	0
S3T2	0
S3T3	0
S3T4	0
S3T5	0
S3T6	0
S3T7	0
S4T1	0
S4T2	0
S4T3	0
S4T4	0
S4T5	0
S4T6	0
S4T7	0
Front to TB	4115
S1T1-S1T2	0
S1T3-S1T4	0
S1T4-S1T5	90.777

Derived Offsets (formula)	
Gun array offsets	
Bracket distance 1-2	6.23
Bracket distance 2-3	3.3
Bracket distance 3-4	2.35
Bracket distance 4-5	2.6
Bracket distance 5-6	2.45
Bracket distance 6-7	2.3
Bracket distance 7-8	3
SourceGPS-COS Y	1.23
COS - Acoustic Y	0
rGPS height above water	1.2
G1 Volume	
G2 Volume	
G3 Volume	
G4 Volume	45
G5 Volume	45
G6 Volume	
G7 Volume	
G8 Volume	
G9 Volume	
G10 Volume	0
G-Depth 1	0.95
G-Depth 2	0.95
G-Depth 3	0.75
G-Depth 4	0.95
G-Depth 5	0.75
G-Depth 6	1.15
G-Depth 7	1.15
G-Depth 8	1.15
G-Depth 9	0.95
G-Depth 10	0
G10 to Acx Z	0
G10 to Acx X	0
Surface to Acx	2
Fwd bracket to COS	14.48
Aft bracket to COS	7.76

Derived Offsets (formula)	
Streamer Front End	
Stern-towpoint at sea	387
towpoint at sea to end of lead-in	10
SHS Length	6
rvm length	20
HAU/STU length	0.4
HESA Lgth	10
Fwd Coil to Aft Coil	100
Head to First RX	3.25
Fwd Coil to CNG	-20.973
Head to Fwd Coil	24.223
Tail to Aft Coil	25.777
CNG Channel #	1
Center of streamer to Acx transducer	-0.2
First Section #	1
# channels	648
section length	4050
# sections	27
channel spacing	6.25
First to last	4043.75
HESA Head to aft coil	6.45

Derived Offsets (formula)	
Streamer Tail End	
Head to Fwd Coil	24.223
Tail to Aft Coil	25.777
Head to CFG	145.3
Coil to Coil	100
TAPU Lngth	0.45
Tail Stretch Length	50
Tswivel Lngth	0.3
STIC Length	15
Last active	27
# channels	648
# sections	27
total section length	4050
First to last	4043.75
Stretch Coil	
Center of streamer to Acx transducer	-0.2
channel spacing	6.25
CFG #	648
Fwd coil to CFG	121.077
CFG to TB/RGPS	71.96
Stretch head to fwd coil	2.5
Stretch head to aft coil	47.5

Derived Offsets (formula)	
Streamer complete	
#Sections	27
# Channels	648
First to last	4043.75
Total section length	4050

Derived Offsets (formula)	
Hydrophone Offsets	
Channel 1	7.825
2	20.325
3	32.825
4	45.325
5	57.825
6	70.325
7	82.825
8	95.325
9	107.825
10	120.325
11	132.825
12	145.325
# channels	24
# Active's	27
Total Channels	144

Derived Offsets (formula)	
Tailbuoy offsets	
RGPS height above water	1.8
TB length	2.8
TB height	1.83
RGPS-ACX	0
Bridle-RGPS	2.4
Top Leg	1.55
Bottom Leg	1.6
STIC	25
ACX below water line	0

Fixed Positions Streamer	
NRP to Stem	29.2
tow point at sea to end of lead-in	10
STU/module length	0.4
Coil to coil	100
head of section to coil	24.223
tail of section to coil	25.777
channel spacing	6.25
NRP to Port/STBD Rail	7.5
Head to First RX	3.25
Head to Last RX	145.3
Channels per section	24
Center of section to Acx transducer	-0.2
First Section Number	1
HAU/HAPU Length	0.4
SHS Length	6
RVM length	20
HESA Length	10
Active Section Length (SSAS)	150
TES tail stretch length	50
STIC	15
TES Fwd Coil	2.5
TES Aft Coil	47.5
HESA Aft Coil	6.45

Guns						
Source GPS Aft - COS Y	1.23				G1 X	0.5
Source GPS Fwd - COS Y	6.23				G1 Y	8.23
Bracket distance 2-3	3.3				G2 X	-0.5
Bracket distance 3-4	2.35				G2 Y	8.23
Bracket distance 4-5	2.6				G3 X	0
Bracket distance 5-6	2.45				G3 Y	5
Bracket distance 6-7	2.3				G4 X	0
Bracket distance 7-8	3				G4 Y	2.6
COS - Acoustic Y	0				G5 X	0
rGPS height above water line	1.2				G5 Y	0
G1 Volume	360	G-Depth 1	0.95		G6 X	0
G2 Volume	360	G-Depth 2	0.95		G6 Y	-2.46
G3 Volume	40	G-Depth 3	1.15		G7 X	0
G4 Volume	180	G-Depth 4	0.95		G7 Y	-4.77
G5 Volume	90	G-Depth 5	0.75		G8 X	0.5
G6 Volume	120	G-Depth 6	1.15		G8 Y	-7.77
G7 Volume	60	G-Depth 7	1.15		G9 X	-0.5
G8 Volume	220	G-Depth 8	1.15		G9 Y	-7.77
G9 Volume	220	G-Depth 9	0.95		G10 X	0.5
					G10 Y	8.23
					G11 X	-0.5
					G11 Y	8.23
					G12 X	0
					G12 Y	5
					G13 X	0
					G13 Y	2.6
					G14 X	0
					G14 Y	0
					G15 X	0
					G15 Y	-2.46
					G16 X	0
					G16 Y	-4.77
					G17 X	0.5
					G17 Y	-7.77
					G18 X	-0.5
					G18 Y	-7.77

Acoustics referenced to CNG or COS	
G1T1	0
G2T1	0
G3T1	0
G4T1	0
S1T1	0
S1T2	0
S1T3	0
S1T4	0
S1T5	0
S1T6	0
S1T7	0
S2T1	0
S2T2	0
S2T3	0
S2T4	0
S2T5	0
S2T6	0
S2T7	0
S3T1	0
S3T2	0
S3T3	0
S3T4	0
S3T5	0
S3T6	0
S3T7	0
S4T1	0
S4T2	0
S4T3	0
S4T4	0
S4T5	0
S4T6	0
S4T7	0